

LOT	QTY	DESCRIPTION	NOTE
1		10 x BLACK POLY PIPES UV WHITE COATED 630mm OD, 525ID APPROX 20m LENGTHS APPROX 2 TONNE/LENGTH UN-USED	
2		10 x BLACK POLY PIPES UV WHITE COATED 630mm OD, 525ID APPROX 20m LENGTHS APPROX 2 TONNE/LENGTH UN-USED	
3		10 x BLACK POLY PIPES UV WHITE COATED 630mm OD, 525ID APPROX 20m LENGTHS APPROX 2 TONNE/LENGTH UN-USED	
4		10 x BLACK POLY PIPES UV WHITE COATED 630mm OD, 525ID APPROX 20m LENGTHS APPROX 2 TONNE/LENGTH UN-USED	
5		10 x BLACK POLY PIPES UV WHITE COATED 630mm OD, 525ID APPROX 20m LENGTHS APPROX 2 TONNE/LENGTH UN-USED	
6		10 x BLACK POLY PIPES UV WHITE COATED 630mm OD, 525ID APPROX 20m LENGTHS APPROX 2 TONNE/LENGTH UN-USED	
7		10 x BLACK POLY PIPES UV WHITE COATED 630mm OD, 525ID APPROX 20m LENGTHS APPROX 2 TONNE/LENGTH UN-USED	
8		10 x BLACK POLY PIPES UV WHITE COATED 630mm OD, 525ID APPROX 20m LENGTHS APPROX 2 TONNE/LENGTH UN-USED	
9		10 x BLACK POLY PIPES UV WHITE COATED 630mm OD, 525ID APPROX 20m LENGTHS APPROX 2 TONNE/LENGTH UN-USED	
10		10 x BLACK POLY PIPES UV WHITE COATED 630mm OD, 525ID APPROX 20m LENGTHS APPROX 2 TONNE/LENGTH UN-USED	

LOT	QTY	DESCRIPTION	NOTE
11		10 x BLACK POLY PIPES UV WHITE COATED 630mm OD, 525ID APPROX 20m LENGTHS APPROX 2 TONNE/LENGTH UN-USED	
12		10 x BLACK POLY PIPES UV WHITE COATED 630mm OD, 525ID APPROX 20m LENGTHS APPROX 2 TONNE/LENGTH UN-USED	
13		10 x BLACK POLY PIPES UV WHITE COATED 630mm OD, 525ID APPROX 20m LENGTHS APPROX 2 TONNE/LENGTH UN-USED	
14		10 x BLACK POLY PIPES UV WHITE COATED 630mm OD, 525ID APPROX 20m LENGTHS APPROX 2 TONNE/LENGTH UN-USED	
15		*** VACANT ***	NO GST
15		** WITHDRAWN ** 10 x BLACK POLY PIPES UV WHITE COATED 630mm OD, 525ID APPROX 20m LENGTHS APPROX 2 TONNE/LENGTH UN-USED	
16		*** VACANT ***	NO GST
16		** WITHDRAWN ** 10 x BLACK POLY PIPES UV WHITE COATED 630mm OD, 525ID APPROX 20m LENGTHS APPROX 2 TONNE/LENGTH UN-USED	
17		*** VACANT ***	NO GST
17		** WITHDRAWN ** 9 x BLACK POLY PIPES UV WHITE COATED 630mm OD, 525ID APPROX 20m LENGTHS APPROX 2 TONNE/LENGTH UN-USED	
18		*** VACANT ***	NO GST

LOT	QTY	DESCRIPTION	NOTE
18		** WITHDRAWN ** BLACK POLY PIPE WITH UV WHITE COATING 24 x LENGTHS, VARIOUS SIZES & LENGTHS 5 x 3950D x 330IDmm x 10m 1 x 350OD x 280IDmm x 12m 6 x 440OD x 380IDmm x 10m 3 x 350OD x 290IDmm UP TO 10m 6 x 220OD x 185IDmm, 8-10m 1 x 220OD x 185IDmm, 2.5m 2 x 240OD x 210IDmm x 10m	
19		LARGE QUANTITY BLACK POLY PIPE FITTINGS, BENDS ELBOWS TEES, PITS ETC.LARGE QUANTITY . KINGSTONE BRIDGE ENGINEERING 4 x TEE'S, 450 x 200mmID WITH GALV STEEL FLANGE PLATES 1 x TEE, 370 x 200mmID WITH GALV STEEL FLANGE PLATES 1 x TEE, 290 x 290mmID WITH GALV STEEL FLANGE PLATES 2 x TEE'S, 380 x 380mmID WITH GALV STEEL FLANGE PLATES 1 x TEE, 290 x 290mmID WITH GALV STEEL FLANGE PLATES 2 x TEE'S, 470 x 380mmID WITH GALV STEEL FLANGE PLATES 1 x TEE, 370 x 370mmID WITH GALV STEEL FLANGE PLATES 3 x TEE'S, 360 x 180mmID WITH GALV STEEL FLANGE PLATES 11 x LENGTHS POLY PIPE, UP TO 280IDmm, ODD LENGTHS, 3-10m 16 x LENGTHS POLY PIPE 110OD & 90ODmm, 12m QUANTITY BLACK BLUE STRIPE PIPE, 110 & 90mm, UP TO 12m	
20		UN-USED FLUID TRANSFER PUMP,BY PUMP ENGINEERING AUST ROBUSHI MOD: RKC125-330 STAINLESS STEEL WITH 270mm IMPELLER DOM: 2009 NEW IN CRATE POWERED BY WEG 4kw ELEC MOTOR MOD: K198STDE2 725RPM, 415V ON FABRICATED SKID	
21		UN-USED FLUID TRANSFER PUMP,BY PUMP ENGINEERING AUST ROBUSHI MOD: RKC125-330 STAINLESS STEEL WITH 270mm IMPELLER DOM: 2009 NEW IN CRATE POWERED BY WEG 4kw ELEC MOTOR MOD: K198STDE2 725RPM, 415V ON FABRICATED SKID	
22		UN-USED FLUID TRANSFER PUMP, BY PUMP ENGINEERING AUST ROBUSHI MOD: RKC125-330 STAINLESS STEEL WITH 270mm IMPELLER DOM: 2009 NEW IN CRATE POWERED BY WEG 4kw ELEC MOTOR MOD: K198STDE2 725RPM, 415V ON FABRICATED SKID	
23		UN-USED FLUID TRANSFER PUMP,BY PUMP ENGINEERING AUST ROBUSHI MOD: RKC125-330 STAINLESS STEEL WITH 270mm IMPELLER DOM: 2009 NEW IN CRATE POWERED BY WEG 4kw ELEC MOTOR MOD: K198STDE2 725RPM, 415V ON FABRICATED SKID	

LOT	QTY	DESCRIPTION	NOTE
24		UN-USED FLUID TRANSFER PUMP, BY PUMP ENGINEERING AUST ROBUSHI MOD: RKC125-330 STAINLESS STEEL WITH 270mm IMPELLER DOM: 2009 NEW IN CRATE POWERED BY WEG 4kw ELEC MOTOR MOD: K198STDE2 725RPM, 415V ON FABRICATED SKID	
25		UN-USED FLUID TRANSFER PUMP, BY PUMP ENGINEERING AUST ROBUSHI MOD: RKC125-330 STAINLESS STEEL WITH 270mm IMPELLER DOM: 2009 NEW IN CRATE POWERED BY WEG 4kw ELEC MOTOR MOD: K198STDE2 725RPM, 415V ON FABRICATED SKID	
26		UN-USED FLUID TRANSFER PUMP, BY PUMP ENGINEERING AUST ROBUSHI MOD: RKC125-330 STAINLESS STEEL WITH 270mm IMPELLER DOM: 2009 NEW IN CRATE POWERED BY WEG 4kw ELEC MOTOR MOD: K198STDE2 725RPM, 415V ON FABRICATED SKID	
27		UN-USED FLUID TRANSFER PUMP, BY PUMP ENGINEERING AUST ROBUSHI MOD: RKC125-330 STAINLESS STEEL WITH 270mm IMPELLER DOM: 2009 NEW IN CRATE POWERED BY WEG 4kw ELEC MOTOR MOD: K198STDE2 725RPM, 415V ON FABRICATED SKID	
28		UN-USED FLUID TRANSFER PUMP, BY PUMP ENGINEERING AUST ROBUSHI MOD: RKC125-330 STAINLESS STEEL WITH 270mm IMPELLER DOM: 2009 NEW IN CRATE POWERED BY WEG 4kw ELEC MOTOR MOD: K198STDE2 725RPM, 415V ON FABRICATED SKID	
29		UN-USED FLUID TRANSFER PUMP, BY PUMP ENGINEERING AUST ROBUSHI MOD: RKC125-330 STAINLESS STEEL WITH 270mm IMPELLER DOM: 2009 POWERED BY WEG 4kw ELEC MOTOR MOD: K198STDE2 725RPM, 415V ON FABRICATED SKID	
30		UN-USED FLUID TRANSFER PUMP, BY PUMP ENGINEERING AUST ROBUSHI MOD: RKC125-330 STAINLESS STEEL WITH 270mm IMPELLER DOM: 2009 POWERED BY WEG 4kw ELEC MOTOR MOD: K198STDE2 725RPM, 415V ON FABRICATED SKID	
31		*** VACANT ***	NO GST

LOT	QTY	DESCRIPTION	NOTE
31		** WITHDRAWN ** FLUID BLEED PUMP, BY PUMP ENGINEERING AUST MOD: Fybroc 1500 SERIES SIZE: 4 x 4 x 10" FIBREGLASS PUMP CASE & IMPELLER POWER BY WEG 30kw ELEC MOTOR 415V, 2955RPM, NEW	
32		*** VACANT ***	NO GST
32		** WITHDRAWN ** FLUID PUMP BARREN ELUANT, Fybroc MOD: 1500 SERIES DOM: 2009 SIZE: 1.5 x 3 x 8" FIBREGLASS CASE & IMPELLER POWER BY WEG ELEC MOTOR 7.5kw, 2920RP, NEW IN CRATE	
33		*** VACANT ***	NO GST
33		** WITHDRAWN ** FLUID PUMP TANKER EX-SOL PUMP, Fybroc MOD: 1600 SERIES DOM: 2009 2 x 3 x 6" FIBREGLASS CASE & IMPELLER POWERED BY WEG ELEC MOTOR 4kw, 2890RPM 415V, NEW	
34		FLUID PUMP, TANKER EX-SOL PUMP, Fybroc MOD: 1600 SERIES DOM: 2009 2 x 3 x 6" FIBREGLASS CASE & IMPELLER POWERED BY WEG ELEC MOTOR 4kw, 2890RPM, 415V, NEW	
35		SOLZER FLUID PUMP, MOD: A53-200, 100071959 DOM: 2009 BP 100-005 STAINLESS STEEL SPECS: H=74-7m, Q=280-7 I/S, N= 1500RPM POWERED BY WEG W22E2 355kw 415V ELEC MOTOR 1490RP, WEIGHT APPROX 2070kg	
36		SOLZER FLUID PUMP, MOD: A53-200, 100071959 DOM: 2009 BP 100-005 STAINLESS STEEL SPECS: H=74-7m, Q=280-7 I/S, N= 1500RPM POWERED BY WEG W22E2 355kw 415V ELEC MOTOR 1490RP, WEIGHT APPROX 2070kg	

LOT	QTY	DESCRIPTION	NOTE
37		SOLZER FLUID PUMP, MOD: A55-250, 100071957 DOM: 2009 BP 100-002 NEW SPECS: H=60-0m, Q=279-2 I/S, N= 1000RPM POWERED BY WEG 280kw ELECTRIC MOTOR 415V 995RPM WEIGHT APPROX 1967kg	
38		SOLZER FLUID PUMP, MOD: A55-250, 100071957 DOM: 2009 BP 100-002 NEW SPECS: H=60-0m, Q=279-2 I/S, N= 1000RPM POWERED BY WEG 280kw ELECTRIC MOTOR 415V 995RPM WEIGHT APPROX 1967kg	
39		GRUNDFOS INLINE PUMP TYPE: CRII20-04 AFGJ-I-E-HQQE MOD: A96500527P10927 DOM: 2009 APPROX 5.5kw, 415V, 2919RPM NEW IN CRATE	
40		GRUNDFOS INLINE PUMP TYPE: CRII20-04 AFGJ-I-E-HQQE MOD: A96500527P10927 DOM: 2009 APPROX 5.5kw, 415V, 2919RPM NEW IN CRATE	
41		2 x GRUNDFOS INLINE PUMPS TYPE: CRI0-06A-A-A-E-HQQE MOD: A96500984P10920 DOM: 2009 2.2kw, 415V, 2895RPM, 50HZ WITH STAINLESS STEEL BASE & MANIFOLD HYDRO NPC-Z	
42		BLOWER STAINLESS STEEL CASE WITH FLANGE FITTING AND PIPE ADAPTOR. 450 x 400mm DOM: 2008 WEG 5.5kw, 415V 1460RPM, BELT DRIVE AS NEW	
43		4 x GRUNDFOS PRESSURE PUMPS 2 - 25 x 25mm MOD: A96527690P10933 TYPE: CRII-7 A-FGJ-I0E0HQQE 0.370kw, 415V, 2873RPM NEW 2 x MOD: A96527904P10932 TYPE: CRI3-21A-EGJIEHQQE 2.2kw, 415V, 2899RPM, NEW	
44		*** VACANT ***	NO GST

LOT	QTY	DESCRIPTION	NOTE
44		** WITHDRAWN ** 2 x FLUID PUMPS, IWAKI MAGNET PUMP, STAINLESS STEEL MOD: NDM50-110IEKKS075A-DD 5.5kw, 2910RPM, 50HZ MOD: 32-125-132-KT STAINLESS STEEL 2.2kw, 2855RPM NEW IN CRATE	
45		*** VACANT ***	NO GST
45		** WITHDRAWN ** VERSA MAGNETIC 2" ULTRAMATIC BOLTED PLASTIC PUMP POLY PROP CONSTRUCTION PNEUMATIC DRIVE, NEW IN BOX	
46		2 x BLACK POLY JOHNSON INFEED CHUTES 2700 (L) x 220 (W) x 1000 WITH PIPE OUTLET GALV FLANGED APPROX 230OD PIPE OUTLET	
47		ELECTRIC POLE & LINE INSULATORS, ALLOY LINE TIES & CABLE CLAMPS, 1 x PALLET	
48		SWING ARM GANTRY, UN-USED, VECTOR LIFT CLASS 3C SWL: 1000kg 5.6m LONG ARM	
49		NEW DEMAG OVERHEAD CRANE DOM: 2009 CABLE LIFT, POWER TRAVEL SWL: 1000kg 415V S/NO: 98004280 WITH POWER CABLE & CONTROL, WITH ELECTRICAL ENCLOSURE IN CRATE	
50		NEW DEMAG OVERHEAD CRANE DOM: 2009 CABLE LIFT POWER TRAVEL SWL: 1000kg 415V S/NO: 98004280 WITH POWER CABLE & CONTROL, WITH ELECTRIC ENCLOSURE IN CRATE	
51		AIR HEADER, 8 STATION, NEW P/NO: XFN8028 FM856-859 IN CRATE	
52		AIR HEADER, 8 STATION, NEW P/NO: XFN8028 FM856-859 IN CRATE	
53		PRIMING PUMP STATION, DOM: 2009 ETRAVAINI PUMP MOD: TRUB-40-AA0/CM/A3 3kw, 415V, NEW IN CRATE WITH PRESSURE CYLINDER & STAINLESS STEEL ACCUMULATION TANK AND PIPE WORK .	

LOT	QTY	DESCRIPTION	NOTE
54		*** VACANT ***	NO GST
54		** WITHDRAWN ** CHAMPION AIR COMPRESSOR UNUSED MOD: SOC11 DOM: 2009 BOM: 01301350011 S/NO: 21052 , SCREW TYPE 11kw, 415V	
55		1 x CRATE, NEW, PNEUMATIC SOLENOID VALVES & ACTUATORS, VARIOUS SIZES SMART VALVE POSITIONER, TORK INDUSTRIES, ETC, (FM787 & 788)	
56		LIME SYSTEMS BULK BAG LIFTING FRAME SWL: 1.25TONNE NEW	
57		IWAKI VARIABLE INJECTION PUMP & WEG .37kw, 415V WITH SIEMENS FM-MASFLO VARIABLE DIGITAL DOSING CONTROLLER MOD: MAG5000 IN STAINLESS STEEL FRAME & STAINLESS STEEL CONTROL CABINET IN STAINLESS STEEL FRAME WITH FORK POCKETS NEW	
58		CHAMPION UPRIGHT AIR RECEIVER, NEW DOM: 2009 DESIGN CODE AS1210 CLASS 3 TEST PRESSURE: 1635KPA DESIGN PRESSURE: 1090KPA S/NO: PC30058 TANK SIZE: 4.5 x 1.2m DIAMETER OVERALL HEIGHT: 4.9m APPROX WEIGHT: 1250kg	
59		CHAMPION UPRIGHT AIR RECEIVER, NEW DOM: 2009 DESIGN CODE AS1210 CLASS 2B TEST PRESSURE: 1650KPA DESIGN PRESSURE: 1100KPA S/NO: PC30049 TANK SIZE: 2.9 x 0.8m DIAMETER OVERALL HEIGHT: 3.2m APPROX	

LOT	QTY	DESCRIPTION	NOTE
60		TANK & PUMP STRUCTURE 3 x PUMPS DOM: 2009 2 x MAINS SECTIONS SECTION 1: 7.2 x 4.5 x 4.0m WITH HAND RAILS & NON SLIP PLASTIC GRID FLOOR PANELS & GALV MESH TREAD PANELS SECTION 2: 5.5 x 4.5m WITH 3 x PUMPS 2 x ROBUSCHI MOD: RKC SIZE: 125-320 DOM: 2009 WEG ELEC MOTOR 11kw, 970RPM, 415V 1 x SOLUTION PUMP, FIBREGLASS CASE, Fybroc 1600 SERIES 2 x 3 x 6" WEG 5.5kw, 2930RPM, 415V INCLUDES FIBREGLASS CONICAL BASE TANK 50CUBIC/METRE, 4.0 x 4.1m WEIGHT: 2750kg VENTED TOP INSPECTION HATCH MULTIPLE OUTLETS TOP & SIDES & BASE NO: TK-120-003	
61		MILD STEEL TANK, UN-USED 7.1 (H) x 4.5m (D) MULTIPLE OUTLETS, BASE OUTLET INSPECTION HATCH TK130-002	
62		MILD STEEL TANK, UN-USED 7.1 (H) x 4.5m (D) MULTIPLE OUTLETS, BASE OUTLET INSPECTION HATCH TK130-001	
63		LINE HOPPER TANK IN STEEL FRAME DOM: 2009 AUG P/NO: 7K030-005 2.155 x 1.7SH CONE 90 DEGREES VOL: 5.5 CUBIC METRES 450kg HOPPER WEIGHT WITH VALVE POLY PIPEWORK WITH WORK PLATFORM FOR TOP LOADING W: 3.6 x 3.1m APPROX OVERALL: 9.4m TO PLATFORM: 4.8m WITH LIME SYSTEMS HOPPER	
64		LARGE FIBREGLASS TANK, NEWALL TK100-01 BARREN LIX H: 7.6m D: 5.0m VOL: 106 CUBIC METRES PRESS ATMOSPHERIC STANDBY BS4994, AS1170-2002 INSPECTION HATCH, MULTIPLE OUTLETS & F/G RISER	

LOT	QTY	DESCRIPTION	NOTE
65		BARREN RESIN TANK, NEWALL TK120-001 H: 4.1m D: 4.0m 90 DEGREE CONE VOL: 50 CUBIC METRES APPROX WEIGHT: 2750kg INCLUDES TRANSPORT FRAME	
66		BARREN RESIN TANK, NEWALL TK120-003 DOM. 2009. H: 4.1m D: 4.0m 90 DEGREE CONE VOL: 50 CUBIC METRES APPROX WEIGHT: 2750kg INCLUDES TRANSPORT FRAME	
67		*** VACANT ***	NO GST
67		** WITHDRAWN ** FIRE FIGHTING SYSTEM MOUNTED ON STEEL BASE NEWALL TANK DOM: 2009 H: 4.5m D: 4.0m 40 CUBIC METRE APPROX PUMP 1: IWAKI MAGNETIC PUMP MOD: MDM 40-100 IFCEF 004-D2 WITH 4kw ELEC MOTOR, 2980RPM, 415V PUMP 2: SIZE: 50 x 32 -200mm IMPELLER 175mm 4kw ELEC WEG MOTOR, 415V WITH CONTROL PANEL & CALPEDA PRIMER PUMP, 415V PUMP 3: SIZE: 50 x 32 x 200mm IMPELLER 175mm WITH CONTROL PANEL & SAND FILTER BASE SIZE: 8m (L), 4.3m (W)	
68		2 x POINERT FIRE SUPPRESSION SYSTEMS, WITH CONTROL CABINETS & CYLINDER STORAGE CABINETS EACH INCLUDES 4 ARGON/NITROGEN CYLINDERS, REGULATORS & LINES, NEW	
69		ACID DOSING STATION WITH PUMPS & VALVES 1 x IWAKI METERING PUMP MOD: AXBH-DL6856-15 MAX FLOW: 12.8 LITRES/MIN MAX PRESSURE: 008MPF WEG ELEC MOTOR, 415V BASE: 3.35 x 2.2m PLASTIC ANTI SLIP TREAD STAINLESS STEEL PIPES & VALVES	
70		ACID DOSING STATION WITH PUMPS & VALVES 2 x IWAKI METERING PUMPS MOD: AXBH-DL6856-15 MAX FLOW: 12.8 LITRES/MIN MAX PRESSURE: 008MPF WEG ELEC MOTOR, 415V BASE: 3.35 x 2.2m PLASTIC ANTI SLIP TREAD STAINLESS STEEL PIPES & VALVES	

LOT	QTY	DESCRIPTION	NOTE
71		POLY TANK PLATFORM . 4.6 x 3.85m TANK: 7200 LITRE ALL PIPE & VALVES STAINLESS STEEL 4 L/P WATER FILTERS PLASTIC A/S WALK MESH	
72		STEEL VALVE & POLY TANK PLATFORM 8.5 x 5.0m 2 x TANKS: 3700 & 7200 LITRE WITH BLACK POLY FITTING & INSULATED COUPLINGS 1 x PRESSURE PUMP 240V GRUNDFOS MOD: CHI-2-40 & P/S PLASTIC NON SLIP WALK GRIDS.	
73		TOTAL OF 4 ACCESS STAIR SETS WITH PLATFORMS . 1 x LADDERWELD MOBILE PLATFORM ALLLOY. 1 x 1.70 (H) x 2.60m (L) STEEL 1 x 1.40 (H) x 1.95m (L) STEEL 1 x 0.72 (H) x 1.78m (L) STEEL	
74		*** VACANT ***	NO GST
74		** WITHDRAWN ** UN-USED POLY WATER TANK, 7,200 LITRE	
75		*** VACANT ***	NO GST
75		** WITHDRAWN ** UN-USED POLY WATER TANK, 13,700 LITRE	
76		*** VACANT ***	NO GST
76		** WITHDRAWN ** UN-USED POLY WATER TANK, 18,000 LITRE APPROX	
77		ACCESS STAIRWELL, 5 x SECTIONS 13.2m (H) 4.63 x 2.8m (W) BOLTED CONSTRUCTION UNUSED	
78		ACCESS STAIRWELL, 5 x SECTIONS 13.2m (H) 3.2 x 4.820m (W) WELDED CONSTRUCTION UNUSED	
79		ACCESS STAIRWELL, 5 x SECTIONS 9.6m (H) 2.6 x 4.14m (W) STAIR WITH HAND RAILS UNUSED.	

LOT	QTY	DESCRIPTION	NOTE
80		TOTAL 3 x STAIR SECTIONS 1 x 11 STEPS & 2 x PLATFORMS 10.2m (L) & 0.9m (W) WITH HAND RAILS & GALV FRAME & MESH 1 x 12 STEPS 3.6m (L) & 0.9m (W) WITH HAND RAIL & GALV STEPS 1 x 15 STEPS 4.8m (L) & 0.9m (W) WITH HAND RAIL & GALV STEPS	
81		LARGE QUANTITY STRUCTURAL STEEL, BEAMS & PIPE & HAND RAILS PAINTED 16 x SECTIONS, HAND RAILS UP TO 6m APPROX 60 x LENGTHS 20UC 400UD UP TO 9m LENGTHS 350UB UP TO 9m LENGTHS 250UB UP TO 6m LENGTHS 150 PIPE WITH END BRACKETS & 2 x PALLETS ASSORTED SHORT BEAR PIPE & RHS	
82		LARGE QUANTITY STRUCTURAL STEEL PAINTED 12 x 200UC, 14-UP TO 17m 12 x 200UB, UP TO 5.6m 6 x 400UB, UP TO 6.8m 90 x LENGTHS APPROX LARGE QUANTITY JOINING SECTIONS 200CH, 400UB, 200UC, UP TO 2.5m	
83		AUTOMATIC SECURITY, ACCESS GATE, NEW .BY INNOVATIVE CONTROLS POWEERED ROLL AWAY GATE INCLUDES SEPERATE PEDESTRIAN ACCESS GATE, INCLUDES ALL GALV STEEL POSTS AND RAIL, KEYPAD, POWER DRIVE, GEAR RACKS 10.3m WIDE GATE OPENING 13.8m TOTAL LENGTH 2.1m (H) SECURITY SPIKES INCLUDED & HARDWARE	
84		2 x PALLETS WASTE BIN HOLDING POSTS, (22 APPROX), SUIT 240 LITRE WHEELIE BINS 6 x LENGTHS GALV GUARD RAIL & POSTS	
85		LARGE QUANTITY STRUCTURAL STEEL, CHANNEL, UB & UC, FMS 67 x LENGTHS 6m UP TO 8m OF UC, UB, 250UB, 200UC, 20CH, ETC APPROX 50 x PIECES SHORTS UB & K & CH, 1-2.5m GREAT LOT!	
86		WELDED TANK FRAME STRUCTURES 3.2 x 5.6m (H) 14 x SECTIONS WITH SUPPORT STEEL WORK	
87		3 WAY STAIR SECTIONS, 7 x STEPS WITH PLASTIC NON SLIP FLOOR GRATE, 1800 (L) x 2200 (W) x 1250 (H)	
88		*** VACANT ***	NO GST
88		** WITHDRAWN ** LARGE QUANTITY GALV MESH WALK PANELS APPROX 60 x SECTIONS UP TO 4.6m x 1200mm SECTIONS 2.5m x 1200mm WITH INFILL SECTIONS	

LOT	QTY	DESCRIPTION	NOTE
89		LARGE QUANTITY YELLOW UN-USED HAND RAIL, APPROX 30 x PIECES UP TO 6m (L) & 2 x PALLETS I-BEAM OFF CUT SHORTS	
90		*** VACANT ***	NO GST
90		** WITHDRAWN ** 11 x ROCKLA CULVERTS 1080 760 1400 MM & CONCRETE PLATES	
91		GALV LIGHT POST, 6m (H) WITH 2 x PIER LIGHT 400HPS LAMPS	
92		*** VACANT ***	NO GST
92		** WITHDRAWN ** CONCRETE BLOCKS & PIPE STANDS, 19 x PALLETS	
93		*** VACANT ***	NO GST
93		** WITHDRAWN ** 9 x COLLAPSIBLE STEEL STILLAGES & CONTENTS POLY PIPE FITTING, TEE ELBOWS, BUTTERFLY VALVES, UP TO 500MM BY KEYSTONE . POLY SHEET, 2400 x 1200 x 20 APPROX ELEC CONDUIT ORANGE & BLUE LINE POLY PIPE	
94		*** VACANT ***	NO GST
94		** WITHDRAWN ** 17 x COLLAPSIBLE STEEL STILLAGES 1200 (L) x 1000 (W) x 850mm (D) GREY	
95		6 x ROLLS BLACK PVC DAM LINER 7m (W), 1mm THICK 200m (L) APPROX APPROX 4 TONNE	
96		*** VACANT ***	NO GST
96		** WITHDRAWN ** 31 x WALKWAY SECTIONS, 150mm GALV CHANNEL FRAMES, TREATED PINE TOPS, 3000 x 1200mm	
97		POLY TANK ON SKID BASE, YELLOW, 2000 LITRE	
98		*** VACANT ***	NO GST

LOT	QTY	DESCRIPTION	NOTE
98		** WITHDRAWN ** LARGE QUANTITY GREY CONCRETE PAVERS 31 x PALLETS 240 x 120 x 50mm APPROX 300 SQUARE METRES & 11 x PALLETS BESSER BLOCKS, 380 x 190 x 90mm	
99		3 x UPRIGHT CONCRETE TANKS, BIOCYCLE	
100		LARGE LOT DAM MESH, 17 x ROLLS PVC BLACK 4.3m (W) EST 100m EACH	
101		LARGE LOT DAM MESH, 13 x ROLLS PVC BLACK 4.3m (W) EST 100m EACH	
102		*** VACANT ***	NO GST
102		** WITHDRAWN ** QUANTITY SHED FRAME COMPONENTS 4.6m UPRIGHTS 5.7m CABLE 12m CHANNELS FACIA PANEL WALL & ROOF IRON 4 x ASSORTED ROLLER DOORS 2 x POSSIBLE IN-COMPLETE SHEDS, DOMESTIC & RURAL	
103		5 x STAINLESS STEEL CONES, 10mm THICK APPROX 1400mm DIAMETER THE ULTIMATE FIRE PIT	
104		9.1/2 x CRATES STAINLESS STEEL PIPE SUCTION SCREENS APPROX 300 PIECES, FM004-008	
105		4 x PALLETS STAINLESS STEEL PIPES & FITTINGS WITH 2 x CRATES STAINLESS STEEL ENCLOSURES & 1 x PALLET GALV THREADED STUDS & NUTS, 400 x 30mm NEW (2 x SMALL CONES NOT INCLUDED)	
106		JOHNSON SCREEN CS110-001 STAINLESS STEEL 0.5mm SCREENS 2600 (W) x 1700mm SS-2-45-2500-118356/A	
107		JOHNSON SCREEN CS110-001 STAINLESS STEEL 0.5mm SCREENS 2600 (W) x 1700mm SS-2-45-2500-118356/A	
108		*** VACANT ***	NO GST

LOT	QTY	DESCRIPTION	NOTE
108		** WITHDRAWN ** JOHNSON SCREEN CS110-001 STAINLESS STEEL 0.5mm SCREENS 2600 (W) x 1700mm SS-2-45-2500-118356/A	
109		*** VACANT ***	NO GST
109		** WITHDRAWN ** JOHNSON SCREEN CS110-001 STAINLESS STEEL 0.5mm SCREENS 2600 (W) x 1700mm SS-2-45-2500-118356/A	
110		*** VACANT ***	NO GST
110		** WITHDRAWN ** JOHNSON SCREEN CS110-001 STAINLESS STEEL 0.5mm SCREENS 2600 (W) x 1700mm SS-2-45-2500-118356/A	
111		SCRAP INSULATED CABLE 3 x PART ROLLS 20mm 4 CORE, ORANGE COMMS CABLE PART ROLL BLACK ARMoured	
112		MIXTEC-INSTAMIX PIPE SECTION WITH INTERNAL MIXING BLADES . 700KPA S/NO: MC2484701 O/NO: 70031-203-1023 2m (L) FM788-786	
113		1990 LEES CONTAINER FORKLIFT HOURS: 5,533hours CUMMINS, 6 CYLINDER TURBO LT10, DIESEL, 24 TONNE S/NO: FL16A301 RATED 24000kg @1200mm BLADE POSITION TARE WEIGHT: 36,650kg LIFT HEIGHT: 3353mm REF NO LEES. D50 OPERATING RPM: 2100 A/C CAB TYNE LENGTH: 2400mm (NO PAPERS, NO OWNER'S MANUAL, NO SERVICE BOOKS)	

LOT	QTY	DESCRIPTION	NOTE
114		GENSET, CUMMINS POWER 6 CYLINDER TURBO. MOD: S550D5E DOM: 2010 S/NO: K10S101539 PRIME KW 400 PRIME RATED KVA 500 STAMFORD ALTERNATOR 240/416V 50HZ 1500RPM, HOURS: 10,035	
115		GENSET, CUMMINS POWER 6 CYLINDER TURBO. MOD: QSX15-G8 HOURS: 8,405 TURBO DIESEL STAMFORD ALTERNATOR KVA BASE RATE 600 KW BASE RATE 480 50 HZ. 1500 RPM . VOLTS 380	
116		GENSET, CUMMINS 6 CYLINDER TURBO MOD: QSX15-G8 HOURS: 10,463 TURBO DIESEL STAMFORD ALTERNATOR PRIME RATED KVA 500 PRIME RATED KW 400	
117		GENSET, CUMMINS 6 CYLINDER TURBO. MOD: C550D5 RATED KW 400 KVA 500 HOURS: 16,702 DOM: 2008 ENG QSX 15 G8	
118		GENSET, CUMMINS 6 CYLINDER TURBO. MOD: C550D5 RATED KW 400 KVA 500 HOURS: 8,726 DOM: 2008 1500RPM 4 TONNE	
119		*** VACANT ***	NO GST
119		** WITHDRAWN ** IVECO STRALIS PRIME MOVER . ENGINE ALL FAULTS . INTERNAL DAMAGE. VIN . WJMS2NSKO04302360. CODE S2NSK02. 545719 KMS SHOWING. 6X4. AIR BAG SUSPENSION. HWY RATING 50.00 GCM. GVM/GTM 24.00	

LOT	QTY	DESCRIPTION	NOTE
120		2000 TOYOTA H2J78R-RJMNSQ LANDCRUISER TROOP CARRIER/AMBULANCE 4x4 REG: XDX 507 VIN: JTERB73J209000183 ODO: 175,325kms SHOWING 1HZ TURBO DIESEL, MANUAL TRANSMISSION, 4x4 BULL BAR, WARN SERIES WOUND WINCH LUGGAGE ROOF RACK 2 x SPARE WHEELS MULTIPLE STORAGE COMPARTMENTS ALL LOOSE MEDICAL EQUIPMENT & SAT PHONE NOT INCLUDED DUAL BATTERIES (NO PAPERS, NO OWNER'S MANUAL, NO SERVICE BOOKS)	
SALVAGE AREA			
121		ALLIGHT MOBILE GENSET LISTER 3 CYLINDER DIESEL DELTA ALTERNATOR 8KVA 240V CONDITION UNKNOWN 3,430kms SHOWING NOTE: TRAILER HITCH MISSING	
122		SKEL TRAILER P/NO: AX901 20'/BOGIE AXLE NO COMPLIANCE PLATE ID PLATE: KT2490787 SPRING SUSPENSION	
123		2 x OIL/DIESEL TANKS, PORTABLE APPROX 1500 LITRE WITH CRANE LIFT POINTS & FORK POCKETS INSPECTION HATCHES APPROX 2m (H) & 1m DIAMETER	
124		NOBLE LIFTING FRAME & ARE 200kg INTERNAL 960mm DIAMETER MOD: NAZ7409 WLL: 2 TONNE STAINLESS STEEL TANK ON SKID WITH LIFT HOOK POINTS & FORK POCKETS GALV FRAME TANK APPROX 150 LITRE CAPACITY & CONTROL CABINET	
125		*** VACANT ***	NO GST
125		** WITHDRAWN ** SHADE CLOTH SUPPORT FRAME GALVED . 17 x PIPE UPRIGHTS, FLANGED GALV, 9m, 210ODmm 15 x PIPE BRACES x 10m, 170mm OD	
126		*** VACANT ***	NO GST

LOT	QTY	DESCRIPTION	NOTE
126		** WITHDRAWN ** PAIR MOBILE AIR COMPRESSORS, SULLAIR ALL FAULTS, CONDITION UNKNOWN MOD: 425 DOM: 2008 HOURS: 4,721 CAT DIESEL TURBO, 3054C MOD: 425 JOHN DEERE DIESEL, 4 CYLINDER, 45TF250, TURBO	
127		** WITHDRAWN ** 1984 FRUEHAUF TRI-AXLE CONVERTED WATER TANK REG: TYS 679 SPRING SUSPENSION, ALLOY TANK CAPACITY: 31,500 LITRE UNIT S/NO: 32395 ALL FAULTS SOME FRAME CRACKS PUMP: YANMAR DIESEL MOD: LNON5 4" CENTRIFUGAL PUMP TO MULTI OUTLETS & SPRAY BAR (NO PAPERS)	
128		STAINLESS STEEL TANK 5.1 x 3.1m OVERALL 6.1 2 TOP INSPECTION HATCH TOP 1 BOTTOM 30000 LITRES APPROX	
129		PAIR TRANSFORMERS, AUSTRALIAN TRANSFORMER P/L 500KVA, ALL FAULTS TOTAL WEIGHT: 2675 EACH 11000-415V	
130		TRANSFORMER, WILSON ALL FAULTS, BAD LEAKS 500KVA 2,470kg TOTAL 11000/430V (NOT INCLUDING SHELTER)	
131		TRANSFORMER, RESITRA TRANSFORMER TECHNOLOGY 3 PHASE/CAST RESIN TYPE 315KVA TYPE: KF440 MASS: 1,490kg ALL FAULTS 11000/433V	
132		TRANSFORMER, RESITRA TRANSFORMER TECHNOLOGY 3 PHASE/CAST RESIN TYPE 315KVA TYPE: KF440 MASS: 1,490kg ALL FAULTS 11000/433V	

LOT	QTY	DESCRIPTION	NOTE
133		TRANSFORMER, RESITRA TRANSFORMER TECHNOLOGY 3 PHASE/CAST RESIN TYPE 315KVA TYPE: KF440 MASS: 1,490kg ALL FAULTS 11000/433V	
134		TRANSFORMER, RESITRA TRANSFORMER TECHNOLOGY 3 PHASE/CAST RESIN TYPE 315KVA TYPE: KF440 MASS: 1,490kg ALL FAULTS 11000/433V	