

LOT	QTY	DESCRIPTION	NOTE
1		2 x STEEL PARTS TROLLEYS	
2		2 x STEEL PARTS TROLLEYS	
3		2 TIER TROLLEY & ASSORTED FASTENERS	
4		WELDER TROLLEY & CABINET	
5		4 x WHEELBARROWS, (AVERAGE)	
6		4 x WHEELBARROWS, (AVERAGE)	
7		STEEL TROLLEY BASKET SIDES	
8		MOBILE TOOL CABINET, 2 DOOR	
9		STEEL PARTS TROLLEY. SOLID WHEELS	
10		HEAVY DUTY PLATE STEEL CABINET, MOBILE	
11		HEAVY DUTY PLATE STEEL CABINET, MOBILE	
12		PLATE STEEL BENCH, 3000 x 1000 x 10mm WITH RECORD VICE, ANGLE STEEL FRAME	
13		PLATE STEEL TRESTLE BENCH, 3000 x 1900 x 30mm WITH SWIVEL VICE	
14		PLATE STEEL TROLLEY, 1800 x 900 x 10mm, 2 TIER	
15		SPRING BASE PARTS STACKER, ROTATING	
16		HEAVY DUTY ANGLE STEEL RACK, DOUBLE SIDED, 1800mm	
17		HEAVY DUTY TOOL SHADOW TROLLEY, DOUBLE SIDED, 1600mm	
18		4 x FILTER COVERS, ALLOY , 1350 x 1500mm	
19		4 x ASSORTED TRESTLE TABLES	
20		INLINE FILTRATION SYSTEM, WALKER 3 BANK	
21		KAESER REFRIGERANT AIR DRYER MOD: TCH-32 16 BAR CAPACITY 240V & FILTER	
22		GREEN COLOURBOND ROLLER DOOR, INDUSTRIAL, 3.7 x 4.5m APPROX & RAILS	

LOT	QTY	DESCRIPTION	NOTE
23		GALV ROLLER DOOR, INDUSTRIAL, 2.7 x 3.5m APPROX & RAILS	
24		ARBOGA GEARED HEAD DRILL MOD: GL2508 No3 M/T 100-2900RPM 2 SPEED, E-STOPS, 415V	
25		DE GRINDER, GMF 8" WITH GUARDING LIGHT & W-STOPS, 415V	
26		GREEN POLY RAINWATER TANK, 2 x 1.2m DIAMETER APPROX, 2,000 LITRE APPROX	
27		DIESEL FIRE PUMPING STATION INSULATED FRAME/BOX POWERED BY CUMMINS 6 CYLINDER TURBO DIESEL HOURS: 273 240V DIRECT COUPLING DRIVE CENTRIFUGAL PUMP WORMALD TYPE UNI FLO UFCZ510/14 350 x 250mm ALL ON I BEAM SKID BASE	
28		EMERGENCY DIESEL PUMP SET, ENCLOSED GAS POWERED BY CUMMINS N. 495G 6 CYLINDER DIESEL TWIN PUMP UNIT DIRECT DRIVE PUMP, AJAX 150-125-315 AUXILIARY DRIVE PUMP/BELT DRIVE AJAX GS-40-250 CONDITION UNKNOWN WITH TANK & STAND	
29		MOBILE LIGHTING TOWER, PROLIGHT MOD: 75H S/NO: SG10071741 12.5kw & ELCB, 240V OUTLET TELESCOPIC TOWER RECOVERY TOWING COUPLER	
30		MOBILE LIGHTING TOWER, PROLIGHT MOD: 75H S/NO: SG11010140 12.5kw & ELCB, 240V OUTLET TELESCOPIC TOWER RECOVERY TOWING COUPLER	
31		ACCESS STEP/PLATFORM, 1800mm	
32		MOBILE ALUMINIUM PLATFORM, STAR ALUMINIUM, 2400 x 900mm	
33		1700 LITRE OVERHEAD DIESEL TANK & STAND	
34		MANUAL HYDRAULIC PERSONNEL LIFT SWL: 200kg MOBILE BASE	

LOT	QTY	DESCRIPTION	NOTE
35		3 x PALLETS PVC CULVERT INNERS, 150 APPROX, 1000 x 500mm	
36		STAINLESS STEEL CASED MIXING TANK, 1200 LITRE APPROX WITH DIRECT DRIVE STIRRER GRUNDFOS ALL DOSE CONTROL & METER & GRUNDFOS TRANSMITTER	
37		HEAVY DUTY JINKER TRAILER, EX ETSA I-BEAM FRAME, PERFORATED STEEL TOP 5 x 2.45m 8.2x15 RIM, 6 STUD RING PULL HITCH	
38		<p>REVERSE OSMOSIS DESALINATION WATER TREATMENT PLANT, MANUFACTURER - AQUEOUS SOLUTIONS PLANT DESIGN - 50,000 LPH PERMEATE PRODUCTION MODEL - AS 1,200,000 FEED FLORATE - 53.2M3 / HOUR PERMEATE FLORATE - 50M3 / HOUR DESIGN TEMPERATURE - 18 C DOM - 2011</p> <p>MOUNTED IN 40FT STEEL SHIPPING CONTAINER, MULTI ACCESS (EASY REMOVAL)</p> <p>UTILISING GRUNDFOS PUMPS 5-45KW 415V, CARTRIDGE FILTRATION 40" X 9" CLUSTER TYPE, RO PRESSURE VESSEL, 8" DIA, 6 ELEMENT LONG FRP, 300PSI</p> <p>VARIANT TREATMENT EQUIPMENT INC. AUTO FINISH SYSTE, SODIUM METABISULPHITE DOSING, ANTI-SCALE DOSING, LOWFEED / HIGH PRESSURE PROTECTION AGENT SYSTEM</p> <p>ELECTRICS INC. ABB, GEORGE FISCHER, IFM, YOKOGAWA &amp; ALLEN BRADLEY, ELECTRONIC METERS, SWITCH GEAR, CONTROLLERS &amp; TRANSDUCERS ARE UTILISED IN THIS PLANT</p>	
39		ASTRO POWER CLIMB UNIT IN CASE WITH 3 x ROLLS OF CABLE, 57m APPROX	
40		ASTRO POWER CLIMB UNIT IN CASE WITH 3 x ROLLS OF CABLE, 57m APPROX	
41		ASTRO POWER CLIMB UNIT IN CASE WITH 3 x ROLLS OF CABLE, 57m APPROX	
42		ASTRO POWER CLIMB UNIT IN CASE WITH 3 x ROLLS OF CABLE, 57m APPROX	
43		ASTRO POWER CLIMB UNIT IN CASE WITH 3 x ROLLS OF CABLE, 57m APPROX	
44		ALLOY COVERS, BOX FRAMES & BRACKETS	
45		6 x SETS ASSORTED INFRARED & WHITE LIGHTS	
46		2 x HERO PEDESTAL FANS, 700mm	
47		40' STEEL SHIPPING CONTAINER STANDARD HEIGHT 5794ID	

LOT	QTY	DESCRIPTION	NOTE
48		TRANSFORMER TYREE, 1983 S/NO: 112440 4520kg COIL MASS: 2870kg 800KVA OUTPUT, 415V LOW 6900 V LIGHT	
49		TRANSFORMER TYREE, 1983 S/NO: 112435 4520kg COIL MASS: 2870kg 800KVA OUTPUT, 415V LOW 6900 V LIGHT	
50		PALLET RACK TROLLEY, 2.9m RUBBER TOP	
51		MANUAL WORKSHOP CRANE, 1000kg AUTO LIFT	
52		EVAPORATIVE AIRCONDITIONER, STAINLESS STEEL, BONAIRE 1650 x 1650 x 1800mm, 415V & DUCTING	
53		AIR COMPRESSOR, PILOT/CHAMPION 3 CYLINDER, 40 CUBIC FEET, 7.5kw, 415V DUAL STAGE	
54		STEEL PLATE BENCH, 3000 x 1000 x 10mm & SHELF	
55		STEEL TROLLEY, GIRDERS, ETC	
56		*** VACANT ***	
57		CATERPILLAR 988G WHEEL LOADER HOURS: 19,000hours INDICATED (HAS PREVIOUSLY BEEN SERVICED BY CAVPOWER WHYALLA) (NO OTHER INFO AVAILABLE) (NO PAPERS, NO OWNER'S MANUAL, NO SERVICE BOOKS)	
58		CATERPILLAR 854G WHEELED DOZER HOURS: 44,551hours INDICATED ID: 800420/7460-13 TYRES EXCELLENT CONDITION (HAS PREVIOUSLY BEEN SERVICED BY CAVPOWER WHYALLA) (NO OTHER INFO AVAILABLE) (NO PAPERS, NO OWNER'S MANUAL, NO SERVICE BOOKS)	
59		TIGER (CATERPILLAR) T590 WHEELED DOZER HOURS: 41,226hours INDICATED ID: 7HK00197 MODEL (990) TYRES EXCELLENT CONDITION (HAS PREVIOUSLY BEEN SERVICED BY CAVPOWER WHYALLA) (NO OTHER INFO AVAILABLE) (NO PAPERS, NO OWNER'S MANUAL, NO SERVICE BOOKS)	

LOT	QTY	DESCRIPTION	NOTE
60		<p>1984 ISUZU NPR 200 MEDIUM 4x2 TRAYTOP TRUCK  REG: N/A  VIN: JAANPR58GR7100124  ODO: 60,912kms SHOWING  5 SPEED DIESEL,  ENGINE TYPE RL4/4BEI  3600mm STEEL DROP SIDE TRAY  (NO PAPERS, NO OWNER'S MANUAL, NO SERVICE BOOKS)  CONDITION:  A/C - NOT OP</p>	
61		<p>2003 TOYOTA HILUX DUAL CAB UTILITY  REG: WWS 530  VIN: JTFDV626400014711  ODO: 420,553kms SHOWING  TURBO DIESEL, 5 SPEED MANUAL TRANSMISSION, WHITE DUCO, 4x4  AIR CON, POWER STEERING  (NO PAPERS, NO OWNER'S MANUAL, NO SERVICE BOOKS)</p>	
62		<p>POLY WATER TANK  50,000 LITRE WITH AGITATOR GEARED DRIVE, 415V &amp;  ACCESS STEPS TO PLATFORM  5mm DIAMETER APPROX</p>	
63		<p>PAIR 415V PUMPS, MONARCH  6205-22 MOTOR  WITH SOUTHERN CROSS  MOD: 3-21B</p> <p>PLUS RSB PUMP  MOD: V2-15  HIGH PRESSURE</p>	
64		<p>TRANSFORMER, TYREE  DOM: 1982  6600-415V (APPROX)  100KVA</p>	
65		<p>1989 HINO 4x2 TIPPER  VIN: 3HDFF1731XXX13608  ODO: 83,215kms INDICATED  6 CYLINDER, 6 SPEED MANUAL TRANSMISSION, ECO DIESEL FF,  CHASSIS NO: WAV22244ZFA060740  3.6 x 2.4m TRAY</p> <p>(FARM USE ONLY)  (NO PAPERS, WITH 1 KEY/S, NO OWNER'S MANUAL, NO SERVICE BOOKS)</p>	
66		<p>HITACHI CX100 ARTICULATED LOADER  REG: S38 SFR  ODO: 35,688kms INDICATED  6 CYLINDER TURBO, 4 SPEED  2.4m (W) BUCKET  FITTED WITH SUPALOAD DRO  (NO PAPERS, WITH 1 KEY/S, NO OWNER'S MANUAL, NO SERVICE BOOKS)</p>	
67		<p>415V BLOWER  5.5kw DIRECT DRIVE  2900 RPM, 6x5"</p>	

LOT	QTY	DESCRIPTION	NOTE
68		AIR COMPRESSOR, VEE TWIN SINGLE STAGE 5.5kw/415V 30 CFM  (ALL FAULTS)	
69		25HP RIBON SCREW TYPE AIR COMPRESSOR ON SKID, BELT DRIVE NO TANK	
70		6 x OREGON ROOF SECTIONS, 17.5 x 3.6m SOLD PER EACH 7 x 3' & 6 x 2'	
71		40' OPEN ENDED SHIPPING CONTAINER WALK THROUGH	
72		50 x LENGTHS BLACK POLY PIPE, 12m (L) 280mm INSIDE 300mm OUTSIDE UV COATED	
73		40' SHIPPING CONTAINER WORKSHOP, GREEN, 8036 WITH POWER/LIGHTING, BENCHES & STORAGE FITTED	
73a		DRIVE THRU TRUCK WASH, WITH SPRAY BAR ULTRA MAY FILTERS 45kw PUMP, JAVELIN MOD: JV90-6 MAX: 205m (H) 90 CUBIC METRES/HOUR (90,000 LITRES/HOUR) WITH GALV TANK, VALVES & PIPEWORK	
74		20' SHIPPING CONTAINER WORKSHOP, RED, 8064	
75		RECORD STORAGE CONTAINER, 40 x 8' SINGLE DOOR ENTRANCE (END) REAR DOUBLE DOOR STANDARD ACCESS 9817	
76		RECORD STORAGE CONTAINER, 40 x 8' SINGLE DOOR ENTRANCE (END) REAR DOUBLE DOOR STANDARD ACCESS 5881	
77		DATA SAFE 1600 x 600 x 600mm, KEY/COMBINATION	
78		ABLUTION BLOCK. RELOCATABLE 12 x 3m COMPRISING: 4 x SHOWER CUBICLES, SLIDING DOOR, LOCKER ACCESS 1 x 3m URINAL 12 x STAINLESS STEEL HAND BASINS 6 x TOILETS EXTRACTION FANS, 2 x MIRRORS & 315 LITRE HOT WATER SERVICE	

LOT	QTY	DESCRIPTION	NOTE
79		MEETING ROOM WITH KITCHENETTE 12 x 3m SINGLE DOOR ACCESS 2 x END WALL A/C'S 7 x WINDOWS WITH SINK, HOT WATER SERVICE & PLUMBING (NO FITTINGS OR ELECTRONICS)	
80		CRIB ROOM, 4 MODULE, 12 x 12 TOTAL 4 x 12 x 3 UNITS, OPEN PLAN 1 x DOUBLE DOOR ACCESS 2 x SINGLE DOOR ACCESS 13 x WINDOWS, TOTAL 5 DOOR SINK CUPBOARD RINNAI INSTANT BOIL HOT WATER SERVICE 4 x SPLIT SYSTEM A/C'S 2 x WALL MOUNT A/C'S BOLTED INTERNAL FRAMING 3 x SPLIT SYSTEM AIR UNITS TO BE REMOVED PRIOR TO DISMANTLE\	
81		OFFICE A BUILDING, 12 x 6m 2 x MODULE, 12 x 3m OPEN PLAN & 1 x SIDE OFFICE 5 x WINDOWS 2 x ACCESS DOORS 4 x WALL MOUNT A/C'S NO FIXTURES, FURNITURE OR ELECTRONICS	
82		OFFICE B BUILDING, 12 x 6m 2 x MODULE, 12 x 3m OPEN PLAN & END OFFICE AREA & SERVER ROOM 10 x WINDOWS, SINK UNIT 1 x ACCESS DOOR 3 x SPLIT SYSTEM A/C'S NO FURNITURE OR ELECTRONICS	
83		OFFICE C BUILDING, 10.5 x 6m 2 x MODULE, 10.5 x 3m OPEN PLAN 2 x WINDOWS 2 x ACCESS DOORS, END 2 x AS NEW, SPLIT SYSTEM A/C'S NO FURNITURE OR FITTINGS	
84		FIRST AID BUILDING, 6 x 2.4m OPEN PLAN 2 x WINDOWS 1 x ACCESS DOOR 1 x WALL MOUNT A/C	
85		PACKAGED GENERATOR SET (1) KATO ENGINEERING SYNCHRONOUS AC ALTERNATOR BRUSHLESS 600KW @ 6.6KV P/B CATERPILLAR 3508 V8 TURBO DIESEL WATER COOLED MOUNTED IN SERVICABLE CONTAINERISED SHELTER NOISE REDUCTION INSULATED PANEL SOLD WITH POWER TRANSFORMER TYREE 630KVA - 55AMP DOM 1983 SERIAL NO 112-35	

LOT	QTY	DESCRIPTION	NOTE
86		PACKAGED GENERATOR SET (2) KATO ENGINEERING SYNCHRONOUS AC ALTERNATOR BRUSHLESS 600KW @ 6.6KV P/B CATERPILLAR 3508 V8 TURBO DIESEL WATER COOLED MOUNTED IN SERVICABLE CONTAINERISED SHELTER NOISE REDUCTION INSULATED PANEL SOLD WITH POWER TRANSFORMER TYREE 800KVA - 70AMP DOM 1983 SERIAL NO 112-40	