

LOT	QTY	DESCRIPTION	NOTE
1		3 x CONVEYOR SECTIONS, STAINLESS STEEL 100mm (W) x 2000mm (L) WITH PLASTIC CONVEYOR BELT, 1 x PALLET	
2		2 x CONVEYOR SECTIONS, STAINLESS STEEL 200mm (W) x 3000 & 2750mm (L) WITH PLASTIC CONVEYOR BELT, 1 x PALLET	
3		10 x CONVEYOR SECTIONS, STAINLESS STEEL 100mm (W) x ASSORTED LENGTHS, FROM 1300-2300mm (L) INCLUDING PLASTIC CONVEYOR BELT & 2 x DRIVE MOTORS, 0.37kw, 415V, 2 x PALLETS	
4		CONVEYOR SECTION, STAINLESS STEEL 420mm (W) x 2000mm (L) WITH BELT, MOTOR & 2 x DANFOSS FCD 311 DECENTRAL VARIABLE SPEED DRIVES, 1 x PALLET	
5		3 x CONVEYOR SECTIONS, STAINLESS STEEL 200mm (W), 1 x 2500mm & 2 x 3000mm (L) WITH DRIVE MOTOR, 0.55kw, 415V, 1 x PALLET	
6		2 x CONVEYOR SECTIONS, STAINLESS STEEL 350mm (W) x 1800mm (L) & 450 x 1300mm (L) WITH DRIVE MOTOR, 1.1kw, 415V, 1 x PALLET	
7		2 x CONVEYOR SECTIONS, STAINLESS STEEL 430mm (W) x 2000mm & 900mm (L), 1 x PALLET	
8		2 x CONVEYOR SECTIONS, STAINLESS STEEL, 90 DEGREE BENDS, 400mm (W) x 1400mm (L), WITH PLASTIC BELT & DRIVE MOTOR, 2 x PALLETS	
9		CONVEYOR SECTION, 380mm (W) x 1700mm (L), WITH DRIVE MOTOR, 2 x DANFOSS DECENTRAL VARIABLE SPEED DRIVES, STANDS, GUIDE RAILS & BELTS, 3 x PALLETS	
10		VALVE MANIFOLD ASSEMBLY, CONSISTING OF E & H PROMAG 50 TRANSMITTER 49 x ASSORTED SPX APV AIR CONTROLLED VALVES MOD: CU41T, D-59425, DEX34-2", CU41, ETC MOUNTED TO STAINLESS STEEL FRAME WITH RAISED WORK PLATFORM, 4000 x 2000 x 2000mm (H)	
11		SINK, SINGLE BOWL, 500 x 430mm, STAINLESS STEEL WITH KNEE OP FLOW CONTROL VALVE, ON STAND	
12		TROUGH SINK, 1000 x 400 x 300mm, STAINLESS STEEL WITH BENCH FRAME, 1900 x 470 x 950mm (H) & STAND	
13		CONVEYOR BELT LACER, CLIPPER, ROLLER LACER	
14		FALL ARREST DEVICE, SELF RETRACTING LIFELINE, MILER, FALCON MOD: SRL-MP	
15		ASSORTED LAB GLASSWARE INCLUDING, MEASURING TUBES, BURRETTES, AIR PURIFIERS, STANDS, SIGHT GLASS TUBES ETC	
16		LASER MARKING MACHINE, VIDEO JET MOD: FOCUS S25 240V	

LOT	QTY	DESCRIPTION	NOTE
17		4 x STAINLESS STEEL WORK STANDS, ASSORTED SIZES INCLUDING 900 x 450mm, 600 x 450mm, 700 x 600mm, ETC	
18		2 x STORAGE CABINETS, 2100 x 900mm, 2 x DOOR, GREY STEEL & WHITEBOARD, 1200 x 600mm	
19		VACUUM CLEANER, NILFISK GD5, 240V	
20		HOT MELT GLUE MACHINE, NORDSON MOD: RMXIV 240V	
21		STORAGE CABINET, DOUBLE SIDED, 4 x DOORS, STAINLESS STEEL, 1100 x 1100 x 850mm (H)	
22		X-RAY SCANNER, INDUSTRIAL DYNAMICS MOD: FILTEC FT-50 ON STAND WITH CONTROLLER	
23		VALVE MANIFOLD ASSEMBLY, INCLUDING 13 x GEA AIR CONTROLLED VALVES MOD: RB-OD2"/OD2"-S2-CD. 780-2002, REC-OD2", ETC 2 x ALLEN BRADLEY DEVICE BOXES, 148SP-P8TS ON STAINLESS STEEL FRAME SIZE: 1200 x 1500 x 2000mm (H)	
24		WIRE ROPE WINCH/TURFER, ANCHOR SUPER-TIL MOD: S-35 3000kg CAPACITY & WIRE ROPE	
25		BELT LACER TOOL GEM, GREASE GUN, CALIPERS, WELDING HELMET, ETC	
26		MOTORIZED CONVEYOR DRUM ROLLER, RR FISHER, A1895 75RPM, 110mm DIAMETER x 600mm, 240V	
27		TIG WELDER, KEMPPI SUPER KEMPAK, TIG 150 240V ON TROLLEY WITH TIG HAND PIECE & EARTH LEAD	
28		MOBILE STAND, ADJUSTABLE HEIGHT, ALLOY & STAINLESS STEEL, 180mm	
29		PRESSURE PUMP, GRUNDFOS TYPE: 90LA2 2.2kw, 415V	
30		PUMP, LOWARA MOD: 5SV05F007T HEAD: 36m L/MIN: 2900 415V	
31		PUMP, GRUNDFOS MOD: MG71B2-14FT85-C HEAD: 56m L/MIN: 2856 415V	

LOT	QTY	DESCRIPTION	NOTE
32		PUMP, ASSETT MECHANICAL TYPE: SET FP22/BG90 415V	
33		HYDRAULIC LIFT TROLLEY TABLE 150kg CAPACITY, G&S MOD: BS15 700 x 450mm	
34		PALLET JACK, CROWN PTH	
35		TROLLEY HYDRO STATION, 3 TIER, 4 WHEEL, STEEL FRAME, 1000 x 50 x 1500mm (H)	
36		EMERGENCY EYE WASH/SHOWER STATION, STAINLESS STEEL	
37		FIRE HOSE REEL & HOSE, DURA 36m WITH BRASS NOZZLE	
38		7 x GEA AIR CONTROLLED STAINLESS STEEL VALVES, MOD: 7880-2002 WITH MANIFOLD, VALVES, ETC, 1 x PALLET	
39		7 x AIR OP VALVES, SPX, APV, CU417, STAINLESS STEEL 13 x BUTTERFLY VALVES, 2", SWITCHES STAINLESS STEEL CONTROL BOX, ETC, 1 x PALLET ,	
40		8 x AIR OP VALVES, SPX, APV, CU41T, STAINLESS STEEL STAINLESS STEEL & ASSORTED PIPE WORK, 1 x PALLET	
41		ASSORTED TRANSMITTERS INCLUDING SIEMENS, SITRANS FM MAG 1100F, 3 x FOXBORO IGP20, YOKOGAWA EJA110, E&H LIQUILINE, ETC	
42		OSMOFLO, OSMOCLEAN CD & DW REVERSE OSMOSIS & MEMBRANE CLEANER, 8 x 10kg TUBS	
43		2 x LEUZE ELECTRONIC, UDC-1900 LIGHT CURTAIN MOUNTING COLUMNS	
44		ASSORTED OILS INCLUDING CASTROL HYSPIN AWS22 HYDRAULIC, 20 LITRES, KLUBER HYSYN FG100 HYDRAULIC OIL, 19 LITRES SHELL DARINA R2 GREASE 15kg DRUM SODIUM HYDROXIDE CLEANERS, ETC	
45		FLAMMABLES CABINET, JUST RITE 2 x DOOR STEEL, 250 LITRE CAPACITY 1760 x 1100mm	
46		PERSONNEL LOCKERS, BROWNBUILT, 4 DOOR UNIT, BROWN STEEL, 1830 x 1220 x 460mm & 2 x SINGLE DOOR UNITS, ORANGE & GREY STEEL	

LOT	QTY	DESCRIPTION	NOTE
47		2 x POWER CONTROL CABINETS, STAINLESS STEEL 800 x 600 x 300mm & 400 x 500 x 200mm FITTED WITH ALLEN BRADLEY PANEL VIEW PLUS 400 MICROLOGIX 1200 PLC, RELAYS, ETC	
48		2 x POWER CONTROL CABINETS, STAINLESS STEEL, 600 x 600 x 300mm & STEEL 700 x 500 x 250mm, WITH CONTREC BATCH CONTROLLERS, BREAKERS, RELAYS, ETC, 1 x PALLET	
49		ELECTRICAL COMPONENTS INCLUDING BELIMO SOLENOID VALVES, TEM TRANSMITTERS, FLOW SWITCHES, 2 x E&H SOLIPHANT LEVEL SWITCHES, LEISTER CH-6060, , 1 x PALLET	
50		ASSORTED CIRCUIT BREAKERS, MOELLER, SCHNEIDER, AEG PLC COMPONENTS, ALLEN BRADLEY KINETIX 300 DRIVE, ETC, 1 x PALLET	
51		MARKEM SMARTLASE 130 & UI100 CONTROLLER, VALVE POSITIONER, SPIRAX SARCO PPS, DANFOSS VFD, VLT8011, SIEMENS SIMATIC SOS PLC, ETC, 1 x PALLET	
52		ACTUATORS, SPIRAX SARCO, HYDRAULIC COMPONENTS, UNI JOINT SHAFT, FITTINGS, MACHINE PARTS, ETC, 1 x PALLET	
53		LED WORK LIGHTS, MACHINE LAMPS, 5 x MAGGY LAMPS TYPE: ML383 2 x WESTELECTRIC WARNING ROTATING LIGHTS, SWITCHES, ETC, 1 x PALLET	
54		BALGOR ELECTRIC MOTOR, NEW, .56kw, 180V DC SAND PIPER DIAPHRAGM PUMP P/N: 505B182 100PSI 54m/GBOX REDUCTION DRIVE, 3 x WATER METERS	
55		POWER CONTROL CABINET, STAINLESS STEEL MOUNTED IN STAINLESS STEEL FRAME, 2100 x 800 x 1200mm FITTED WITH ALLEN BRADLEY MICROLOGIX 1200 PLC ABB ACS150 VSD, BREAKERS, REGS & FILTERS	
56		MOBILE TROLLEY DESK, ASSORTED SHELF UNITS, MOBILE STAND, PIGEON HOLE SET & STAINLESS STEEL BUCKET	
57		2 x MOBILE TROLLEYS WITH PLASTIC TUBS, SAFE STEP, TOOL BOX, EAR PLUG DISPENSER & ASSORTED TRAYS	
58		14 x ASSORTED OFFICE CHAIRS & VISITORS CHAIRS	
59		16 x ASSORTED OFFICE CHAIRS & VISITORS CHAIRS	
60		PAIR GREY TIMBER LAMINATE STOCK CUPBOARDS, 1800 x 500mm & 6 x UNDERDESK MOBILES & 2 DOOR LOWLINE STOCK CUPBOARDS, 90 x 90cm	
61		PAIR MILKSHAKE MIXERS, "DRINK MIXER"	

LOT	QTY	DESCRIPTION	NOTE
62		PIGEON HOLE STORAGE UNIT, STAINLESS STEEL, 9 COMPARTMENT, 1500 x 10000 x 1160mm (H)	
63		5 x GREY STEEL FILING CABINETS, 4 x 4 DRAWER & 1 x 3 DRAWER, STEELCO, ELITE BUILT	
64		3 x GREY STEEL FILING CABINETS, 3 x 4 DRAWER	
65		4 x ASSORTED 4 DRAWER FILING CABINETS, STEEL & TIMBER	
65a		4 x BOOK SHELF UNITS, GREY LAMINATE 1800 x 900mm & 2 x LOWLINE SHELF UNITS, GREY LAMINATE, 900 x 900mm	
65b		ASSORTED STAINLESS STEEL, PRESSURE REG, VALVES, INLINE FILTERS, RELIEF VALVES, ALLOY PLATE, ETC, 1 x PALLET	
66		LABEL PRINTER, MARKER CIMJET TYPE: 300L/H 240V MOUNTED IN CLEAR POLYCARB & ALLOY COMPARTMENT ON MOBILE STAND, ADJUSTABLE HEIGHT TO 1800mm	
67		LABEL PRINTER, MARKER CIMJET TYPE: CIM300 240V MOUNTED IN CLEAR POLYCARB & ALLOY COMPARTMENT ON MOBILE STAND, ADJUSTABLE HEIGHT TO 1800mm	
68		LABEL PRINTER, MARKER CIMJET TYPE: 300L/H 240V MOUNTED IN CLEAR POLYCARB & ALLOY COMPARTMENT ON MOBILE STAND, ADJUSTABLE HEIGHT TO 1800mm	
69		LABEL PRINTER, MARKER CIMJET TYPE: CIM300 240V MOUNTED IN CLEAR POLYCARB & ALLOY COMPARTMENT ON MOBILE STAND, ADJUSTABLE HEIGHT TO 1800mm	
70		3 x CONVEYOR STAINLESS STEEL SECTIONS, KRONES 1 @ 500 x 3500mm 1 @ 500 x 3000mm 1 @ 500 x 3600mm WITH 2 x DRIVES & BELT	
71		BELT CONVEYOR STAINLESS STEEL FRAME, PLASTIC BELT, 1100 (W) x 2000mm (L) WITH DRIVE MOTOR	
72		FOODMAC CONVEYOR, STAINLESS STEEL FRAME, 450 (W) x 2500mm (L) WITH 2 x DRIVE & DANFOSS SPEED CONTROLS	
73		STAINLESS STEEL PIPE, ASSORTED SIZES 25, 50 & 75mm DIAMETER IN LENGTHS UP TO 5000mm 1 x PALLET	

LOT	QTY	DESCRIPTION	NOTE
74		4 x 240 LITRE MASTEC WASTE BINS, RED	
75		4 x 240 LITRE MASTEC WASTE BINS, RED	
76		4 x 240 LITRE MASTEC WASTE BINS, RED	
77		4 x 240 LITRE MASTEC WASTE BINS, RED	
78		4 x 240 LITRE MASTEC WASTE BINS, RED	
79		4 x 240 LITRE MASTEC WASTE BINS, YELLOW	
80		4 x 240 LITRE MASTEC WASTE BINS, GREEN	
81		4 x 240 LITRE MASTEC WASTE BINS, GREEN	
82		4 x 240 LITRE MASTEC WASTE BINS, GREEN	
83		4 x 240 LITRE MASTEC WASTE BINS, GREEN	
84		4 x 240 LITRE MASTEC WASTE BINS, GREEN	
85		GALV STEEL CABLE TRAY, 170-320-480mm, UP TO 3000 mm LENGTHS, 2 x PALLETS	
86		STAINLESS STEEL COMPONENTS RACK, 1000 x 2000mm	
87		ROLLER CONVEYOR SECTIONS & COMPONENTS 5 x SKI ROLLER SECTIONS, 400 x 3660mm (L) 1 x POWERED SECTION, 1300 x 2400mm (L) ASSORTED LEGS, CHAINS & DRIP TRAYS, 5 x PALLETS	
88		BELT CONVEYOR, BELT SIZE: 1860mm (W) x 1500mm (L) PLASTIC LINK BELT, CAN BE POWERED ON HEAVY DUTY STEEL BASE, ADJUSTABLE HEIGHT, 1300 x 2620mm NO MOTOR	
89		TANK/VAT, STAINLESS STEEL DIAMETER: 960mm x 750mm (H) APPROX 600 LTR. 1 x BOTTOM OUTLET 2 x TOP INLETS HINGED LID	
90		CYCLONIC DUST EXTRACTION/FILTER UNIT, WAM BOTTOM BUCKET COLLECTION, TOP MOUNT FAN 415V, 2870 x 900mm (W) (BUYER TO REMOVE)	

LOT	QTY	DESCRIPTION	NOTE
91		VACUUM LIFTER, VAC EASY LIFT MOD: 160 MAX CAP: 60kg VACUUM PUMP, TWAI AB, 415V ATTACHED TO SWING ARM GANTRY WITH PEDESTAL BASE & GIRDER TROLLEY 3200 MM (H) 2500 MM REACH (BUYER TO REMOVE)	
92		WASH TANK, STAINLESS STEEL OPEN TOP WITH OVERHEAD DRAIN SHELF SIDE MOUNT DRAIN TRAY, BOTTOM OUTLET, INTERNAL PERFORATED SCREEN 2200 x 900 x 1660mm	
93		4 x SECTIONS, PRIME ENGINEERING STAINLESS STEEL CONVEYOR SECTIONS 500mm (W) x ASSORTED LENGTHS 1800-3000mm, 2 x PALLETS	
94		ALUMINIUM & GLASS SLIDING DOOR, 1600 (W) x 2920mm (H)	
95		12 x ROLLER CONVEYOR SECTIONS 520 (W) x 3000mm (L) POWERED, NO BELT WITH STANDS, 3 x PALLETS, "BUSCHMANN"	
96		STAINLESS STEEL PLASTIC CONVEYOR SECTION, 500mm (W) WITH 90 DEGREE CORNER WITH INFEED SECTION 2 x DRIVE MOTORS 415 VOLT. ES FITTED 3900mm (L) ON STANDS	
97		PAIR MATCHING PLASTIC BELT CONVEYORS, 340(W) x 2000mm WITH DRIVES 415 VOLT	
98		ASSORTED CONVEYOR SECTIONS, 3 x CORNERS, 90 DEGREES WIDTHS: 90-260mm STRAIGHT & 600mm CORNERS 3 DRIVES, 415V & DANFOSS VARIABLE SPEED DRIVE	
99		PLASTIC ROLLER BELT CONVEYOR, 300 (W) x 4800mm (L) STAINLESS STEEL FRAME & DRIVE, 415V	
100		3 x STAINLESS STEEL CONVEYOR SECTIONS, MULTI LANE TAKES 450mm (APPROX) BELT SIZE UP TO 3500m (L) 4 x DRIVE MOTORS, 415V	
101		ASSORTED STAINLESS STEEL CONVEYOR SECTIONS & COMPONENTS, 100mm VARIOUS STANDS 180 DEGREE TURN WITH STAINLESS STEEL HOOD 3 x DRIVE MOTORS 415 VOLT & SPEED CONTROL	
102		2 x GALV WALKOVERS, 3 WAY UNIT, 2000 (L) x 2200 (W) x 1000mm (H) SINGLE CROSS OVER, 10000 (L) x 620 (W) x 1900mm (H)	

LOT	QTY	DESCRIPTION	NOTE
103		ASSORTED STAINLESS STEEL CONVEYOR SECTIONS, 10 PIECES 90 DEGREE & STRAIGHT 5 x DRIVES 415 VOLT , 2 x DANFOSS CONTROLS	
104		ASSORTED STAINLESS STEEL CONVEYOR SECTIONS, 8 PIECES STRAIGHT UP TO 4000 mm. 3 x 90 DEGREE CORNERS 6 x ROLLS BELTS, 300 & 500mm (W) DRIVE MOTOR 415 VOLT , CONTROL & STANDS	
105		QUANTITY GALV STEEL RECTANGULAR DUCTING 1400 x 600mm APPROX 25 x SECTIONS APPROX.	
106		INSULATED PANEL DOOR WITH WINDOW INCLUDES HINGES & DOOR RETURN, 2350 (W) x 1050 mm. (H)	
107		ALUMINIUM SLIDING DOOR WITH WINDOW, RUNNING WHEELS, 2000 (W) x 2150 mm. (H) & ALUMINIUM ACCESS DOOR & WINDOWS WITH FRAME, 2070 (H) x 9250 mm. (W)	
108		ALUMINIUM DOUBLE DOOR UNIT WITH FRAME, STAINLESS STEEL, 2130 (H) x 1930 mm. (W)	
109		TIPPER BIN, SUIT 4 x 240 LITRE WASTE BIN, 1400 (L) x 1300 (W) x 1000 mm.. (H), FORK POCKETS & RAMP	
110		TIPPER BIN, SUIT 4 x 240 LITRE WASTE BIN, 1610 (L) x 1360 (W) x 1040 mm. (H), FORK POCKETS	
111		STAINLESS STEEL FRAME POLY CARB WINDOW VIEWING FRAME, STAINLESS STEEL PANEL, 2400 x 1200 MM. , VIEWING PLATFORM, GALV FRAME & ALLOY TREAD, 750 x 600 mm. , 2 x BAG HOLDING FRAMES & 2 x STEEL DIVIDING PANELS, 1800 x 2400 mm. & 1800 x 1800 mm APPROX	
112		3 x ROLLER CONVEYOR SECTIONS WITH DRIVE 415V, 3500 MM TOTAL x 400mm (W) PLUS STAINLESS STEEL CONVEYOR SECTION WITH DRIVE, 415V & COMPONENTS 400 (W) x 2800mm (L)	
113		PLASTIC BELT CONVEYOR ON STAINLESS STEEL FRAME, 250 (W) x 6300mm (L) WITH DRIVE, 415V	
114		8 SECTIONS x STEEL UPRIGHTS, CHANNEL & RHS UP TO 5800 mm .	
115		4 x WHITEBOARDS, 2 @ 1800 x 1200 MM. & 2 @ 900 x 600 MM.	

LOT	QTY	DESCRIPTION	NOTE
116		TANK, STAINLESS STEEL, DIAMETER: 1250mm HEIGHT: 1350mm 1600 LTR APPROX. 3 x BOTTOM OUTLETS TOP INSPECTION HATCH 2 x TOP INLETS FITTED WITH INTERNAL MOUNT MIXING BLADE & 2 x AIR CONTROL VALVES	
117		2 x PLASTIC BELT CONVEYORS, STAINLESS STEEL FRAMES, 300 (W) x 4800mm (L) WITH ROLLER BELT & DRIVE, 420 (W) x 4400mm (L) & DRIVE, 415V	
118		3 x PLASTIC BELT CONVEYORS & STAINLESS STEEL FRAMES, S, 250 (W) x 4500mm (L), DRIVE & DANFOSS CONTROL, S, 250 (W) x 2700mm (L), DRIVE, STRAIGHT 380 (W) x 4000mm (L), DRIVE & DANFOSS CONTROL	
119		4 x SECTIONS BUSCHMANN ROLLER CONVEYOR, STEEL , 3 x STRAIGHTS, 520 x 3000mm 1 x 90 DEGREE TURN WITH DRIVE, 415V APPROX 3000mm	
120		5 x SECTIONS BUSCHMANN ROLLER CONVEYOR, STEEL , 5 x STRAIGHTS, 520 x 3000mm	
121		ROLLER BELT CONVEYOR BELT, 440 (W) x 5500mm (L) WITH DRIVE, 415V	
122		ASSORTED ROLLER CONVEYOR SECTIONS, STEEL, 9 SECTIONS, 520mm (W), UP TO 3000mm WITH 5 x DRIVES, 415V	
123		3 x PLASTIC BELT CONVEYORS, STAINLESS STEEL FRAMES, 1 BELT @ 420 (W) x 4500mm (L), RAISED 1600mm, NO MOTOR, 1 BELT @ 330 (W) x 2000mm (L) POWERED WITH CONTROL, 415V 1 BELT @ 350 (W) x 900mm (L) POWERED 415V	
124		QUANTITY USED STAINLESS STEEL PIPE, 35-100mm DIAMETER PLUS 75mm BLACK PIPE, 3 x LENGTHS	
125		ALUMINIUM & STAINLESS STEEL PIPE INSULATION SHROUDS/COVERS, 200 DIAMETER x 1250mm CONTENTS 2 x PLASTIC CRATES (NOT INCLUDING PLASTIC CRATES)	
126		STAINLESS STEEL PIPE FITTINGS, VALVES, MANIFOLD & PIPE SECTIONS, SHROUDS, HOSE, ETC CONTENTS PLASTIC CRATE (NOT INCLUDING PLASTIC CRATE)	
127		ASSORTED STAINLESS STEEL PIPE, USED 20-100mm DIAMETER, VARIOUS LENGTHS PLUS GALV CABLE RACK & 6 x FLURO LIGHTS	
128		2 x PILES STAINLESS STEEL PIPE, USED 40-80mm DIAMETER, VARIOUS LENGTHS	
129		STEEL ROLLER CONVEYOR SECTIONS, 520mm (W), UP TO 3000mm STRAIGHTS & VARIOUS CORNERS, 3 x DRIVES, 415V, 16 x SECTIONS	

LOT	QTY	DESCRIPTION	NOTE
130		ASSORTED STAINLESS STEEL & ALLOY COVERS (1400 x 700 mm) & CONVEYOR COMPONENTS WITH DANFOSS CONTROL, 3 x PALLETS	
131		BOTTLE CONVEYOR FITTED WITH STEAM HEATING TUBES, FESTO AIR WATER TRAP FILTERS ENCLOSED IN STAINLESS STEEL WITH TOP HINGES GAS LIFT DOORS 3100 x 200 x 2100mm (H)	
132		REGENERATIVE BLOWER, AMETEK, EG & G ROTRON MOD: DR909BB72W 415V MOUNTED ON STAINLESS STEEL STAND FITTED WITH 2 x AMETEK AIR KNIFES	
133		WEATHERPROOF ENCLOSURE WITH DANFOSS VLT 2800 CONTROL & MAIN SWITCH	
134		ASSORTED CONVEYOR COMPONENTS, CHAINS, TRAYS, 2 x DRIVE MOTORS, 415V DANFOSS CONTROL, 3 x PALLETS	
135		STEEL & STAINLESS STEEL STANDS & PLASTIC GUARDS, PLUS 1 x W/P ENCLOSURE, 3 x PALLETS	
136		PRODUCT LINE INSPECTION CAMERA SYSTEM, APG VISION MOUNTED IN ADJUSTABLE STAINLESS STEEL STAND WITH IR SENSORS & CONTROL CABINET, 820 x 800 x 2030mm (H)	
137		CONVEYOR ROLLERS, 530mm (L) x 50mm (DIAMETER) 6 x BOXES, 15/BOX APPROX 1 x PALLET	
138		CONVEYOR ROLLERS, ASSORTED SIZES INCLUDING, 480 x 50mm, 500 x 50mm, ETC 1 x PALLET	
139		CONVEYOR ROLLERS, ASSORTED SIZES INCLUDING, 510 x 50mm, 610 x 50mm, ETC 1 x PALLET	
140		CONVEYOR ROLLERS, ASSORTED SIZES INCLUDING, 200 x 50mm, 250 x 50mm, 450 x 50mm, ETC 1 x PALLET	
141		CONVEYOR BELT DRIVE ROLLERS WITH RUBBER GRIP COATING, ASSORTED SIZES, 500 x 230mm, 500 x 160mm, 500 x 100mm, ETC & 1 x PALLET HEAVY DUTY STEEL ROLLERS, 510 x 60mm, 2 x PALLETS	
142		CONVEYOR ROLLERS & MOUNTING BRACKETS, 490 x 50mm 1 x PALLET	
143		CONVEYOR ROLLERS, 590 x 50mm, APPROX 150 1 x PALLET	
144		BRASS SHEET, COPPER PIPE, STAINLESS MESH, ETC 1 x PALLET	

LOT	QTY	DESCRIPTION	NOTE
145		BRASS SHEET & HOLLOW BAR SECTION, STAINLESS STEEL DRIVE SHAFTS, ETC, 1 x PALLET	
146		ASSORTED BEARINGS, THK, TIMKEN, SEAL MASTER, ETC 1 x PALLET	
147		2 x STAINLESS STEEL POTS, 50 LITRES, 2 x AIR DRIVEN PUMPS, MARSH & ELEC CABLE, CLAMP & BENDER, ETC 2 x PALLETS	
148		PIPE LINE PIGS, 50mm FOAM, 3 x BOXES & ZIP LOCK BAGS, 355 x 405mm, 3 x BOXES 1000 1 x PALLET	
149		ROLLER CHAIN, ASSORTED TYPES & SIZES, 1 x PALLET, STAINLESS STEEL & STEEL	
150		ROLLER CHAIN, ASSORTED TYPES & SIZES 1 x PALLET	
151		1 x ROLL LAY FLAT HOSE, DUNLOP 80mm DIAMETER, 5 x SUCTION/DELIVERY HOSES, ASSORTED SIZED WITH STAINLESS STEEL FITTINGS 1 x PALLET	
152		7 x ASSORTED STAINLESS STEEL STRAINER FILTER TUBES & STRAINER PANS 1 x PALLET	
153		STAINLESS STEEL BRAIDED HOSES, PIPE, FITTINGS & CONTROL VALVE SUIT TERBOVEN, VACUUM EQUIPMENT 1 x PALLET	
154		1 x ROLL RUBBER BELT, 450mm & 1 x ROLL PLASTIC LINK, 240mm	
155		ASSORTED BOTTLING MACHINE PARTS & COMPONENTS INCLUDING BRASS IMPELLER, DRIVE PARTS, GEARS, SEALS, BRASS BUSHES, ETC 2 x PALLETS	
156		STAINLESS STEEL BOTTLING LINE/MACHINE COMPONENTS & PARTS INCLUDING 2 x KRONES PRE SHRINKING UNITS 2 x PALLETS	
157		AIR ACTUATED VALVES, ALFA LAVAL TYPE: UNIQUA SSV 2 x BARDIANI TYPE: B925 2 x GEA COMPACTORS, T.VIS,ETC, 1 x PALLET	
158		9 x BUTTERFLY VALVES, ASSORTED SIZES, INCLUDING 75, 100 & 200mm, BALL VALVES, STAINLESS STEEL, MACHINE PARTS, ETC, 1 x PALLET	
159		UV REACTOR, WEDECO, SPEKTRON 15 & CONTROL CABINET WITH DIGITAL DISPLAY/CONTROLLER STAINLESS STEEL REACTOR VESSEL, SIZE: 1250 x 160mm, 1 x PALLET	

LOT	QTY	DESCRIPTION	NOTE
160		WEATHERPROOF ENCLOSURE INCLUDES 4 x DANFOSS VLT2800 CONTROLS & VARIOSU CONTRACTORS & CONTROLS CABINET SIZE: 200 (H) x 80 (W) x 40cm (D)	
161		WEATHERPROOF ENCLOSURE CONTAINS AEG PLC & VARIOUS BREAKERS, PILZ PLC RELAYS & CONTACTORS	
162		WEATHERPROOF ENCLOSURE CONTAINS 3 x DANFOSS VLT2800 CONTROLS, CONTACTORS, OVERLOADS, POWER SUPPLY	
163		GLOBE BALLASTS, SWITCHES, SEALS, PRESSURE GAUGES, SOLENOIDS, CABLE & HOSE, 3 x PALLETS	
164		BOTTLE LINE COMPONENTS, PHILMAC FITTINGS, NYLON GEARS, BELTING, 2 x PALLETS & 1 x CRATE	
165		OILERS, STAINLESS STEEL COMPONENTS, SEALING SYSTEM PARTS, GRILLS, PLASTIC TUBS, 2 x PALLETS	
166		QUANTITY ASSORTED STAINLESS STEEL MACHINE PARTS, 1 x TIMBER CRATE	
167		QUANTITY ASSORTED STAINLESS STEEL MACHINE PARTS, 1 x TIMBER CRATE	
168		QUANTITY ASSORTED AIR FILTERS, EATON, AIRE FLOW-V, CAMFIL, ETC 2 x PALLETS	
169		HIGH PRESSURE HOSE & NOZZLE, SAFEMATE STAIR TREADS, MIRRORS, & NYLON BOTTLE LINE COMPONENTS, CONTENTS 3 x PALLETS	
170		DUCTING, VACUUM & ASSORTED PVC HOSES, SIZES FORM 200-50mm 1 x PALLET	
171		UV LIGHTS, STAINLESS STEEL BRACKETS, LIGHT COVERS, WALL FAN, MONO PUMP OUTER, PART DRUM 6 CORE SHIELDED CABLE, PROTECTA EXTENDABLE BARRIERS & 2 x TRANSMITTERS, CONTENTS 3 x PALLETS	
172		20 x HEAVY DUTY CONVEYOR BUCKETS, STEEL, 300 x 190 x 160mm	
173		4 x STEEL HEAVY DUTY BOLLARDS, 1200 (H) x 165mm DIAMETER & 2 x CHECKER PLATE COVERS	
174		PALLET LIFTER/ROTATOR, SAFETECH 1000kg CAPACITY 240V, 1300 x 1150mm	
175		PALLET LIFTER/ROTATOR, SAFE TECH CAPACITY: 500kg WITH SMART LIFT CONTROLLER, 1250 x 1300mm, 240V	
176		PALLET LIFTER, SAFE TECH CAPACITY: 5200kg WITH SMART LIFT CONTROLLER, 1100 x 1400mm, 240V	

LOT	QTY	DESCRIPTION	NOTE
177		PALLET LIFTER/ROTATOR, SAFETECH, PALRING MOD: AS1-1200 1000kg CAPACITY 240V, FOOT OP CONTROLLER, 1800 x 1150mm	
178		2 x PALLET ROTATORS, ROTHE ERDE DIAMETER: 1040mm	
179		6' FOLDER, JOHN HEINE No 66 SERIES 2, 14 GAUGE MS	
180		STEEL MESH PANELS, 3570 x 2000mm, 2000 x 1000mm SECTIONS, GATE & POSTS	
181		STAINLESS STEEL RAISED PLATFORM WITH STAIRS, 1800mm (H), PLATFORM, 1400 x 1400mm WITH HAND RAILS	
182		PLASTIC BELT CONVEYOR, STAINLESS STEEL FRAME, 250mm BELT (W), 10m (L) APPROX WITH DRIVE, 415V	
183		2 x SECTIONS ELEVATING CONVEYOR, 430mm (W) BELT, PLASTIC, 2 x SECTIONS, 1 x 2000mm 1 x 5000mm 1 x DRIVE, 415V	
184		GALV WALK OVER, 1050mm (W), 6200m (L), 800mm (H) WITH STAIRS & HAND RAILS	
185		GALV STAIR SET WITH RETURN TO ELEVATED PLATFORM, STAIRCASE, 3000 x 2100mm TO PLATFORM 2600mm (H), PLATFORM 1300 x 1100mm	
186		TIPPING BIN, FORK MOUNT HEAVY DUTY STEEL, SUIT 4 x WHEELIE BINS 1450 x 1300 x 980mm (H)	
187		STORAGE CAGE, GALV MESH, DOUBLE DOOR, LOCKABLE CHECKER PLATE FLOOR IS VERY RUSTY 3000 x 1400 x 2220mm (H)	
188		CRANE SYSTEM, MILLSOM HOISTS 125kg SWL DUAL CARRIAGE RAIL, TRAVELLING FREESTANDING, PENDANT CONTROL DUAL ELECTRIC HOISTS, MILLSOM SWF & KONE CRANES 415V, BOX STEEL CONSTRUCTION,BOLTED TO FLOOR 8 x 6 x 4m (H) (DISMANTLED) (BUYER TO REMOVE)	
189		4 x 150UC COLUMNS , APPROX 10m (L) WITH WATER PIPE & SPRINKLERS	
YARD			

LOT	QTY	DESCRIPTION	NOTE
190		4 x ASSORTED YELLOW MESH PANELS, UP TO 1700 x 1200mm & HEAVY DUTY STOPPER, 1560 (W) x 900mm (L)	
191		STAINLESS STEEL SPILL STORAGE UNIT, SUIT 1000 LTR. PALECON WITH WARREN DIAPHRAGM PUMP & DOSING UNIT, ECOLAB PTY LTD 1600 x 1400 x 2160mm (BUYER TO DISCONNECT & REMOVE)	
192		STAINLESS STEEL SPILL STORAGE UNIT, SUIT 1000 LTR. PALECON WITH 2 x WARREN DIAPHRAGM PUMPS, ECOLAB PTY LTD 1600 x 1400 x 2160mm (BUYER TO DISCONNECT & REMOVE)	
193		TRANSPORTABLE BUILDING, AUSCO 3020 x 3040 x 2800mm (H) SINGLE DOOR ENTRY, 3 x WINDOWS, SPLIT SYSTEM AC UNIT, POWER, LIGHTING, BENCHES & SINK	
194		FOAM DELUGE HOLDING TANK, VIKING/ARROW TANKS DOM: 2007 CAPACITY: 8327 LITRES M.A.W.P: 175PSI @ 150 DEGREES FAHRENHEIT FITTED WITH BLADDER MOD: VB2200H FITTED WITH TOP, BOTTOM & SIDE OUT/INLETS & TOP MOUNT LIFTING LUGS SIZE: 4150 (L) x 1800 (W) x 2400mm (H) (BUYER TO DISCONNECT & REMOVE)	
195		FIBREGLASS TANK, NEWELL GLASS TANKS VOLUME: 30,000 LITRE DOM: 30/4/12 SIDE INSPECTION HATCH 5 x BOTTOM OUTLETS, 5 x TOP INLETS DIAM: 2600 x 6000mm (H) APPROX. (BUYER TO DISCONNECT & REMOVE)	
196		WATER FILTRATION SYSTEM, COMPRISING 2 x WAVE GYBER SAND FILTER PRESSURE VESSELS WITH GRUNDFOS CU352 CONTROL PANEL (BUYER TO REMOVE)	
197		WATER TANK,, BUSHMAN POLY TANK MOD: TT1070 5000 LITRE CAPACITY DIAM 1500 x 1900mm APPROX. (BUYER TO REMOVE)	
198		PUMP, KSB STAINLESS STEEL HEAD MOD: ETACHROM B 50-200/1852.2 415V (BUYER TO REMOVE)	
199		FIBREGLASS TANK, WITH GALV STEEL BAND REINFORCING, SINGLE BOTTOM OUTLET, 2 x TOP INLETS, TOP INSPECTION HATCH DIAM 3700 x 3000mm (H) APPROX. (BUYER TO DISCONNECT & REMOVE)	

LOT	QTY	DESCRIPTION	NOTE
200		STAINLESS STEEL TANK, US FILTER PTY DOM: 1998 TREATED WATER STORAGE, 316 STAINLESS STEEL WEIGHT EMPTY: 4,000kg WEIGHT FULL: 74,000kg CAPACITY: 70,000 LITRE 3 x BOTTOM OUTLETS, 6 x TOP INLETS WITH GALV STEEL ENCLOSED LADDER & GALV MESH WALKWAY SECTIONS (BUYER TO REMOVE)	
201		STAINLESS STEEL TANK, US FILTER PTY DOM: 1998 TREATED WATER STORAGE, 316 STAINLESS STEEL WEIGHT EMPTY: 4,000kg WEIGHT FULL: 74,000kg CAPACITY: 70,000 LITRE 3 x BOTTOM OUTLETS, 6 x TOP INLETS (NOT INCLUDING LADDER OR MESH WALKWAY SECTIONS) (BUYER TO REMOVE)	
202		4 x SECTIONS BUSCHMANN ROLLER CONVEYOR, 620mm (W) UP TO 4000mm. (L)	
203		4 x RED SULO WASTE BINS, 140 LITRE	
204		4 x RED SULO WASTE BINS, 140 LITRE	
205		4 x RED SULO WASTE BINS, 140 LITRE	
206		4 x RED SULO WASTE BINS, 140 LITRE	
207		4 x SULO WASTE BINS, ORANGE & GREEN, 140 LITRE	
208		4 x SULO WASTE BINS, ORANGE & GREEN, 140 LITRE	
209		LARGE PLASTIC MOBILE WASTE BIN, APPROX 400 LITRE	
210		LARGE PLASTIC MOBILE WASTE BIN, APPROX 400 LITRE	
211		LARGE SULO PLASTIC MOBILE WASTE BIN, APPROX 400 LITRE	
212		MASTEC PLASTIC MOBILE WASTE BIN, APPROX 400 LITRE	
213		MASTEC PLASTIC MOBILE WASTE BIN, APPROX 400 LITRE	
214		MASTEC PLASTIC MOBILE WASTE BIN, APPROX 400 LITRE	
215		MASTEC PLASTIC MOBILE WASTE BIN, APPROX 400 LITRE	
216		MASTEC PLASTIC MOBILE WASTE BIN, APPROX 400 LITRE	

LOT	QTY	DESCRIPTION	NOTE
217		MASTEC PLASTIC MOBILE WASTE BIN, APPROX 400 LITRE	
218		GALV STEEL RAISED PLATFORM WITH 2 x STAIR SETS & HAND RAILS, 1250mm (H), 2100 (L) x 2100mm (W)	
219		4 x LENGTHS YELLOW STEEL SAFETY BARRIER, 3 @ 6000 mm. APPROX 1 @ 2500 mm. 4 x BOLLARDS, 1200mm & HAND RAILS	
220		BUSCHMANN BELT CONVEYOR WITH DRIVE, 415V 6000 mm. (L) x 450mm (W) BELT	
221		GALV STEEL ELEVATED PLATFORM/CROSSOVER WITH 2 x STAIR SETS & HAND RAILS	
222		MOBILE PLASTIC WASTE BIN, 400 LITRE APPROX	
223		WEBER MOBILE PLASTIC WASTE BIN, 400 LITRE APPROX	
224		COPLASTIC MOBILE PLASTIC WASTE BIN, 400 LITRE APPROX	
225		MASTEC MOBILE PLASTIC WASTE BIN, 400 LITRE APPROX	
226		MASTEC MOBILE PLASTIC WASTE BIN, 400 LITRE APPROX	
227		MASTEC MOBILE PLASTIC WASTE BIN, 400 LITRE APPROX	
228		MASTEC MOBILE PLASTIC WASTE BIN, 400 LITRE APPROX	
229		3 x 1100 LITRE MOBILE PLASTIC WASTE BINS, BLUE, NO LIDS	
230		3 x 1100 LITRE MOBILE PLASTIC WASTE BINS, BLUE, NO LIDS	
231		3 x 1100 LITRE MOBILE PLASTIC WASTE BINS, BLUE, NO LIDS	
232		3 x 1100 LITRE MOBILE PLASTIC WASTE BINS, BLUE, NO LIDS	

WEST YARD

233	TRANSPORTABLE BUILDING, AUSCO 6020 x 3020 x 2800mm (H) SINGLE DOOR ENTRY, 4 x WINDOWS, THROUGH WALL AC UNIT, POWER & LIGHTING
-----	--

CANTEEN KITCHEN

LOT	QTY	DESCRIPTION	NOTE
234		BAIN MARIE, ROBAND MOD: E24 GLASS FRONT & SIDES FITTED WITH OVERHEAD HEAT LAMPS 21 x ASSORTED STAINLESS STEEL POTS 240V, 1350 x 620 x 710mm (H) (BUYER TO REMOVE, LOCATED UPSTAIRS IN CANTEEN)	
235		REFRIGERATED FOOD DISPLAY, ROBAND MOD: ERX24 GLASS FRONT & SIDES FITTED WITH UNDERBENCH REFRIGERANT COMPRESSOR, TOP MOUNT COLD BAR, STAINLESS STEEL & PLASTIC POTS 240V, 1350 x 610 x 750mm (H) (BUYER TO REMOVE, LOCATED UPSTAIRS IN CANTEEN)	
236		QUANTITY ASSORTED PLATES & BOWLS (BUYER TO REMOVE, LOCATED UPSTAIRS IN CANTEEN)	
237		STAINLESS STEEL PREP BENCH, 2200 x 600 x 660mm (H) SINGLE DRAWER (BUYER TO REMOVE, LOCATED UPSTAIRS IN CANTEEN)	
238		COMMERCIAL DISH/GLASSWASHER, LAMBER MOD: DSP4/GS900 STAINLESS STEEL, 4 x PLASTIC WASH TRAYS & STAINLESS STEEL STAND 240V, 600 x 640 x 830mm (H) (BUYER TO REMOVE, LOCATED UPSTAIRS IN CANTEEN)	
239		OVERHEAD POT RACK, STAINLESS STEEL, WALL MOUNT 2000 x 500 x 550mm (BUYER TO REMOVE, LOCATED UPSTAIRS IN CANTEEN)	
240		** WITHDRAWN ** STAINLESS STEEL TWIN BOWL SINK, 2020 x 660mm WITH DROP DOWN STAINLESS STEEL BENCH, 1600 x 660mm, NOT FREESTANDING, SCREWED TO WALL (BUYER TO REMOVE, LOCATED UPSTAIRS IN CANTEEN)	
241		DEEP FRYER, BIRKO TWIN BOWL, 240V 550 x 440 x 450mm WITH STAINLESS STEEL CHIP BIN & 2 x BASKETS 2 x BASKETS (BUYER TO REMOVE, LOCATED UPSTAIRS IN CANTEEN)	
242		HOT PLATE, WOODSON MOD: WGDA60 TWIN ELEMENT, 240V 600 x 680 x 230mm (H) (BUYER TO REMOVE, LOCATED UPSTAIRS IN CANTEEN)	
243		** WITHDRAWN ** GAS RANGE, ELECTRIC OVEN, WALDORF MOD: RN8610GEF 6 BURNER COOKTOP, TWIN ELEMENT OVEN 240V, 900 x 820 x 1150mm (H) (BUYER TO REMOVE, LOCATED UPSTAIRS IN CANTEEN) BUYER WILL HAVE TO WAIT FOR REMOVAL AS ACCESS IS RESTRICTED)	

LOT	QTY	DESCRIPTION	NOTE
244		STAINLESS STEEL TROLLEY, 3 TIER, 820 x 500 x 1030mm (H) & MOBILE TABLE, 1200 x 600mm (BUYER TO REMOVE, LOCATED UPSTAIRS IN CANTEEN)	
245		FILING CABINETS, 4 DRAWER, GREY LAMINATE & UNDERDESK MOBILE, 3 DRAWER, BROWN LAMINATE (BUYER TO REMOVE, LOCATED UPSTAIRS IN CANTEEN)	
246		** WITHDRAWN ** DRINKS DISPLAY FRIDGE, SKOPE MOD: BSS0E-3:P48EV DOM:2011 SINGLE DOOR, MOBILE, 240V (BUYER TO REMOVE, LOCATED UPSTAIRS IN CANTEEN)	
247		CHEST/ICECREAM DISPLAY FREEZER, BRAND UNKNOWN 2 x GLASS SLIDING DOORS 2 x BASKETS, 1700 x 650 x 900mm (H) (BUYER TO REMOVE, LOCATED UPSTAIRS IN CANTEEN)	
248		ASSORTED DISPOSABLE CONTAINERS, UTENSILS, SAUCES, JAMS, SALT & PEPPER, ETC, (CONTENTS OF RACK) (BUYER TO REMOVE, LOCATED UPSTAIRS IN CANTEEN)	
249		2 x MODULAR SHELF UNITS, GALV STEEL, 2 TIER 1800 x 460 x 1800mm (H) & 4 TIER 1500 x 600 x 1800mm (H) (BUYER TO REMOVE, LOCATED UPSTAIRS IN CANTEEN)	
250		QUANTITY KNIVES, FORKS, SPOONS, TONGS, SPATULAS, ETC (BUYER TO REMOVE, LOCATED UPSTAIRS IN CANTEEN)	
251		STAINLESS STEEL PREP BENCH, L-SHAPE 1800 x 1450 x 900mm (H) NOT FREE STANDING, SCREWED TO WALL (BUYER TO REMOVE, LOCATED UPSTAIRS IN CANTEEN)	
252		ASSORTED KNIVES, STAINLESS STEEL & ALUMINIUM POTS, BOWLS, SIEVE, BUCKETS, ETC, (ON BENCH TOP) (BUYER TO REMOVE, LOCATED UPSTAIRS IN CANTEEN)	
253		STAINLESS STEEL PREP BENCH, 3420 x 610 x 900mm (H) NOT FREE STANDING, SCREWED TO WALL (BUYER TO REMOVE, LOCATED UPSTAIRS IN CANTEEN)	

SMALL TANK ROOM

254		STAINLESS STEEL TANK, 4500 LITRE WITH MIXER, 415V HATCH TO TOP TOTAL HEIGHT APPROX 2600mm 1700mm DIAMETER APPROX & MOTOR BASE OUTLET SIGHT LEVEL MULTIPLE OUTLETS, TOP & SIDE (BUYER TO DISCONNECT & REMOVE)	
-----	--	---	--

LOT	QTY	DESCRIPTION	NOTE
255		STAINLESS STEEL TANK, 4500 LITRE WITH MIXER, 415V HATCH TO TOP TOTAL HEIGHT APPROX 2600mm 1700mm DIAMETER APPROX & MOTOR BASE OUTLET SIGHT LEVEL MULTIPLE OUTLETS, TOP & SIDE (BUYER TO DISCONNECT & REMOVE)	
256		STAINLESS STEEL TANK, 4500 LITRE WITH MIXER, 415V HATCH TO TOP TOTAL HEIGHT APPROX 2600mm 1700mm DIAMETER APPROX & MOTOR BASE OUTLET SIGHT LEVEL MULTIPLE OUTLETS, TOP & SIDE (BUYER TO DISCONNECT & REMOVE)	
257		STAINLESS STEEL TANK, 4500 LITRE WITH MIXER, 415V HATCH TO TOP TOTAL HEIGHT APPROX 2600mm 1700mm DIAMETER APPROX & MOTOR BASE OUTLET SIGHT LEVEL MULTIPLE OUTLETS, TOP & SIDE (BUYER TO DISCONNECT & REMOVE)	
258		STAINLESS STEEL TANK, 4500 LITRE WITH MIXER, 415V HATCH TO TOP TOTAL HEIGHT APPROX 2600mm 1700mm DIAMETER APPROX & MOTOR BASE OUTLET SIGHT LEVEL MULTIPLE OUTLETS, TOP & SIDE (BUYER TO DISCONNECT & REMOVE)	
259		STAINLESS STEEL TANK, 4000 LITRE WITH MIXER, 415V HATCH TO TOP TOTAL HEIGHT APPROX 2300mm 1700mm DIAMETER APPROX & MOTOR BASE OUTLET SIGHT LEVEL MULTIPLE OUTLETS, TOP & SIDE (BUYER TO DISCONNECT & REMOVE)	
260		STAINLESS STEEL TANK, 2500 LITRE APPROX WITH MIXER, 415V HATCH TO TOP TOTAL HEIGHT APPROX 2300mm 1350mm DIAMETER APPROX & BASE OUTLETS 2 x SIDE OUTLETS, 2 x TOP OUTLETS 2 x LIFT UP TOP LIDS (BUYER TO DISCONNECT & REMOVE)	
261		ENDRESS-HAUSER PROMAG 50 FLOW TRANSMITTER & 4 x THINK TOP AFA FLAVAL VALVES ON STAINLESS STEEL STAND	
262		APV STAINLESS STEEL PUMP, SERIES 5, 2 x 2.5", 415V, 5.5kw, 2980RPM (BUYER TO DISCONNECT & REMOVE)	
263		APV STAINLESS STEEL PUMP, 2 x 2", 415V (BUYER TO DISCONNECT & REMOVE)	
264		APV STAINLESS STEEL PUMP, 2 x 3", 415V (BUYER TO DISCONNECT & REMOVE)	
265		MATRIX STAINLESS STEEL PUMP, LKH15, ABB MOTOR, 415V, 4kw, 2800RPM (BUYER TO DISCONNECT & REMOVE)	
266		APV STAINLESS STEEL PUMP, 1.5 x 2", 415V (BUYER TO DISCONNECT & REMOVE)	

LOT	QTY	DESCRIPTION	NOTE
267		RAISED STAINLESS STEEL WALKWAY, 1 x STAIR SET 700mm (W) 1200mm (H) PLUS HAND RAIL, 10300mm (L) (BUYER TO DISCONNECT & REMOVE)	
SOUTH YARD			
268		VERTICAL AIR RECEIVER TANK, K.A.T. WELDING ENGINEERS TEST DATE: 11/2005 DESIGN PRESSURE: 1090KPA SIZE: 4900 (H) x DIAM 1250mm FITTED WITH TOP MOUNT LIFTING LUGS 3 x INSPECTION HATCHES 4 x INLETS/OUTLETS	
269		PACKAGED FROSTEC GENSET FG WILSON 220KVA, 415/240V ALTERNATOR DOM: 2000 HOURS: 418 SHOWING PERKINS 1300 SERIES 6 CYLINDER DIESEL TURBO ON BELLY TANK NEW BATTERY 3/3/17 SIZE: 4200 (L) x 1750 (W) x 2000mm (H) LESS EXHAUST HEIGHT (BUYER TO DISCONNECT & REMOVE)	
270		BOILER, BOSCH TYPE: UT-M14 DOM: 10/2016 S/NO: 125820 NATURAL GAS FIRED WELSHAUPT BURNER TYPE: WMG20-3A WITH SOUTHERN CROSS PUMP 45kw, 415V & SCHNEIDER CONTROL BOX (BUYER TO GET PLUMBING & ELECTRICAL DISCONNECTIONS, DIS-ASSEMBLY & REMOVAL)	
271		BOILER, HUNT TYPE: TN-AR-1800 DOM: 2009 S/NO: 24240 NATURAL GAS FIRED SAACKE BURNER TYPE: PAGM35C2 WITH SOUTHERN CROSS PUMP 45kw, 415V & SCHNEIDER CONTROL BOX (BUYER TO GET PLUMBING & ELECTRICAL DISCONNECTIONS, DIS-ASSEMBLY & REMOVAL)	
272		WATER PURIFICATION SYSTEM INCLUDING WAVE CYBER SAND FILTER WITH PENTAIR WATER DIGITAL CONTROLLER BANK OF 3 x FILTERS, 1, 5, & 20 MICRON GRUNDFOS PRESSURE PUMP, STAINLESS STEEL, 240V ALL MOUNTED TO STAINLESS STEEL SKID BASE (BUYER TO DISCONNECT & REMOVE)	

LOT	QTY	DESCRIPTION	NOTE
273		CHEMICAL SPILL STORAGE STATION, ENPAC, POLY SPILL PALLET 2000 ROLLER DOOR 55 GALLON CAPACITY & ASSORTED WATER TREATMENT CHEMICALS INCLUDING ECOLAB 30 TRASAR 3DT222, APPROX 60 LITRES	
274		CHEMICAL SPILL STORAGE STATION, ENPAC, POLY SPILLPALLET 2000 ROLLER DOOR 55 GALLON CAPACITY & ASSORTED WATER TREATMENT CHEMICALS INCLUDING NALCO 7330, APPROX 50 LITRES	
275		CHEMICAL DOSING CONTROLLER, AQUAIUSTECH MOD: CT11330 3 x DOSING PUMPS MOD: APPERII (BUYER TO DISCONNECT & REMOVE)	
276		CHEMICAL DOSING CONTROLLER, AQUAIUSTECH MOD: CT11330 3 x DOSING PUMPS MOD: APPERII (BUYER TO DISCONNECT & REMOVE)	
277		CHEMICAL DOSING CONTROLLER, AQUAIUSTECH MOD: CT11330 3 x DOSING PUMPS MOD: APPERII (BUYER TO DISCONNECT & REMOVE)	
278		STAINLESS STEEL TANK, PUMP & HEAT EXCHANGER 1,000 LITRE, INSULATED STAINLESS STEEL TANK DIAM: 1150mm HEIGHT: 1750mm WITH SIGHT LEVEL GAUGE, TOP INSPECTION HATCH 1 x BOTTOM OUTLET, 2 x TOP INLETS & OVERFLOW SOME CORROSION IN BOTTOM OF TANK. APV HEAT EXCHANGER MOD: H47-RK62 600KPA, STAINLESS STEEL, PRESSURE/TRANSFER PUMP STAINLESS STEEL, BRAND UNKNOWN, 415V (BUYER TO DISASSEMBLE & REMOVE)	
279		3 x STAINLESS STEEL MIXING TANKS, PUMP, VALVES, CONTROLS & RAISED WALKWAY INCLUDING 2 x 1,000 LITRE STAINLESS STEEL TANKS, JAMES FABRICATION DIA. 1050mm x 2100mm (H) WITH TOP MOUNT MIXING SHAFTS & MOTORS HINGED TOP LID, BOTTOM OUTLET & 2 x TOP INLETS 1 x 1000 LITRE STAINLESS STEEL TANK DIA 1400 x 2100mm (H) MIXING SHAFT & MOTOR, HINGED LID/HATCH 4 x TOP INLETS, 1 x BOTTOM OUTLET 2 x STAINLESS STEEL TRANSFER PUMPS, ASSETT MECHANICAL, 415V 2 x SMALL CAUSTIC HOLDING TANKS, 20 LITRE 2 x PNEUMATIC ACTUATED VALVES 1 x PROFACE TOUCH SCREEN PANEL & CONTREC BATCH CONTROL STAINLESS STEEL RAISED WORK PLATFORM WITH STAIRS & HAND RAILS 4500 x 700 x 1850mm (H) (ALL PIPE WORK TO BE DISCONNECTED AT FIRST JOINT/BEND, BUYER TO REMOVE)	

LOT	QTY	DESCRIPTION	NOTE
280		STAINLESS STEEL ENCLOSURE 770 x 600 x 300mm WITH DOSING UNIT, AB PLC CONTROL ON STAND (BUYER TO DISCONNECT & REMOVE)	
281		STAINLESS STEEL BENCH, 4 DRAWER, 2200 x 600 x 850mm (H) SINGLE BOWL SINK UNIT, SINGLE CUPBOARD, STAINLESS STEEL 700 x 600 x 850mm (H) & PROTECTIVE HUTCH, STAINLESS STEEL FITTED WITH 2 x PLEXIGLASS SLIDING DOORS & 2 x UNDERBENCH CUPBOARDS 1320 x 740 x 2350mm (H) (BUYER TO REMOVE)	
281a		2 x STEEL LINE 2600 x 2500mm ELECTRIC CLEAR PLASTIC ROLLER DOOR, 240V (BUYER TO DISCONNECT & REMOVE)	
282		PROTECTIVE HUTCH, STAINLESS STEEL, FITTED WITH 2 x STAINLESS STEEL SLIDING DOORS, 1320 x 670 x 2300mm (H) (BUYER TO DISCONNECT & REMOVE)	

OLD BOILER ROOM

283		WORK BENCH, STEEL FRAME, STAINLESS STEEL TOP, 1370 (L) x 580 (W) x 1400mm (H), SINGLE DRAWER	
284		PAIR GRUNFOS PUMPS, CR3-31-3KW HEAD, 206m & CR3-19-HEAD 125 VERTICAL MULTI STAGE, 415V	
285		EPAC SPILL PALLET, HARD COVER, 2 DRUM P/NO: 4052	
285a		MIXING VAT & PUMP/VALVE ASSEMBLY INCLUDING CARLSON STAINLESS STEEL MIXING VAT/TANK APPROX 100 LITRE DIA: 850mm HEIGHT: 1400mm HINGED TOP LID WITH FILTER MESH SIEVE BOTTOM OUTLET, 4 x TOP INLETS & OVERFLOW 11 x ASSORTED APV STAINLESS STEEL VALVES WITH PNEUMATIC CONTROLLERS TRANSFER PUMP, ALFA LAVAL TYPE: LKH-10/135 FSS 2.2kw, 415V CAVITY PUMP, MONO NOV MOD: C16BS80RMB/G88X 415V INCLUDING PIPE MANIFOLDS FILTER, FITTINGS, ETC (BUYER TO DISASSEMBLE & REMOVE)	
285a		LIGHTING BALLASTS, SPOT LIGHTS, GLOBES, STARTS, ETC, 1 x PALLET	

CHEMICAL STORE

286		2 x SPILL BASES, 1 x SLIMLINE 6000 & DIAPHRAGM PUMP, HARDLAND (BUYER TO DISCONNECT & REMOVE)	
-----	--	---	--

WESTERN WAREHOUSE

LOT	QTY	DESCRIPTION	NOTE
287		STAINLESS STEEL ENCLOSURE & CONTENTS, 2 DOOR 1600 (W) x 370 (D) x 2150mm (H) WITH DANFOSS VLT5000 AB MICROLOGIC PLC, CONTACTORS, ETC	
288		STAINLESS STEEL ENCLOSURE, 4 DOOR 3900 (W) x 520 (D) x 2130mm (H) WITH A/C TEMPAIR MOD: G5 & 2 x SIEMENS PLC'S, SIMATIC S7	
289		NEDERMAN FUME EXTRACTOR, DUAL HEAD, 240V, FLEXIBLE DUCTING WITH FILTER	
290		STAINLESS STEEL SLURRY TANK WITH INFEED, VARIABLE SPEED AUGER(APPROX 350 MM DIAMETER) & SEPARATE INTERNAL MIXER APPROX 2000 LITRE 415V, 2 x BASE OUTLETS	
291		STAINLESS STEEL CONVEYOR UNIT, TWIN BELTS PLASTIC 640mm (W) 3 SECTION BELTS 380mm (W), 2 SECTION BELTS 3300 mm (L) WITH 2 x DRIVE MOTORS & VARIABLE SPEED CONTROL	
292		STAINLESS STEEL 180 DEGREE SINGLE BOTTLE CONVEYOR 90mm BELT 2 x DRIVE MOTORS, 415V WITH 2 x IN/OUT FEEDS 2600 mm. (L) 2.0m (L)	
293		NYLON BOTTLE LINE DRIVE COMPONENTS, 2 x CRATES	
294		** WITHDRAWN ** STAINLESS STEEL ENCLOSURE & CONTENTS, 2 DOOR 1950 (L) x 1100 (D) x 550mm (H) BOTTLE LINE COMPONENTS, NYLON DRIVES, PARTS, ETC	
295		** WITHDRAWN ** STAINLESS STEEL ENCLOSURE & CONTENTS, 2 DOOR 1950 (W) x 1100 (D) x 550mm (H) BOTTLE LINE COMPONENTS, NYLON DRIVES, PARTS, ETC	
296		** WITHDRAWN ** STAINLESS STEEL ENCLOSURE & CONTENTS, 2 DOOR 1950 (W) x 1100 (D) x 550mm (H) BOTTLE LINE COMPONENTS, NYLON DRIVES, PARTS, ETC	
297		** WITHDRAWN ** STAINLESS STEEL ENCLOSURE & CONTENTS, 2 DOOR 1950 (W) x 1100 (D) x 550mm (H) BOTTLE LINE COMPONENTS, NYLON DRIVES, PARTS, ETC	
298		** WITHDRAWN ** ROTATING BOTTLE RINSER, PROCOMAC LCD CONTROL PANEL, AB PLC SLC5/05 FULLY ENCLOSED STAINLESS STEEL UNIT 3400 x 2800 x 2350mm (H) APPROX	

LOT	QTY	DESCRIPTION	NOTE
299		KRISTNER HEAT SHRINK TUNNEL WITH CONTROL PANEL WITH A/C 6400 x 2000 x 2450mm (H) PLC CONTROL, DUAL ZONE TUNNEL SIZE: 550 x 460mm MOD: STII-600 PALLET SPARES & BOOKS	
300		** WITHDRAWN ** KRONES STAINLESS STEEL CONTROL ENCLOSURE, AB POWER FLEX UNITS, AB PLC CONTACTORS, CB'S CABINET" 2000 x 340 x 2200mm (H)	
301		ABA FLEX POWERED SPIRAL CAROUSEL TYPE: SV400-1300 DOM: 2006 415V DRIVE, 5 SPIRAL 400mm BELT (W) 4000mm HEIGHT 1800mm DIAMETER	
302		ABA FLEX POWERED SPIRAL CAROUSEL TYPE: SV400-1300 DOM: 2006 415V DRIVE, 3 SPIRAL 400mm BELT (W) 4000mm HEIGHT 1800mm DIAMETER	
303		STAINLESS STEEL STAIR UNIT WITH HAND RAILS, 2000mm (H), 180 x 1800sq mm	
304		STAINLESS STEEL FRAMED CONVEYOR, 190mm PLASTIC BELT 4700mm (L) ES FITTED 415V DRIVE ON STANDS	
305		BOTTLE CAPPING MACHINE STAINLESS STEEL UNIT, AB PANEL VIEW PLUS 600 CONTROL 3300 (L) x 1500 (W) x 3200mm (H) APPROX	
306		STAINLESS STEEL CONVEYOR 380m PLASTIC ROLLER BELTING 2200mm (L) WITH 415V DRIVE MOTOR & STAINLESS STEEL CONTROL ENCLOSURE	
307		ECOLAB CONTROL SYSTEM, SUIT CONVEYOR BELT LUBRICATION STAINLESS STEEL ENCLOSURE ON STAND WITH PUMP WITH BOOKS	
308		MONORAIL SWING ARM GANTRY CRANE COLUMN MOUNT WITH HITCHI ELECTRIC HOIST TYPE: 1/4SN2 250kg WITH 3000 mm LIFT & PENDANT CONTROL 2000mm ARM	
309		ECOLAB CONVEYOR LUBE SYSTEM, AB PANEL VIEW PLUS 600 SCREEN 3 x DOSING PUMPS PROMINENT 2 x GRUNFOS MULTI STAGE PUMPS IN STAINLESS STEEL ENLCOSURE	

LOT	QTY	DESCRIPTION	NOTE
310		BOTTLE INVERTER WITH ADJUSTABLE WIDTH CONTROL 2 x DRIVES, 415V STAINLESS STEEL FRAME 4450 (L) x 1000 (W) x 2700mm (H) APPROX	
311		ASSORTED NYLON DRIVE PARTS & STAINLESS STEEL COVERS	
312		90 DEGREE CONVEYOR SECTION 250mm PLASTIC BELT WITH DRIVE 415V & SPEED CONTROL, 2400 x 1900mm	
313		NEDERMAN 240V FUME EXTRACTOR SINGLE INLET, FILTERED	
314		STAINLESS STEEL SINK UNIT, 900 x 600 x 400mm WITH TAPS ON STAND	
315		STAINLESS STEEL CONVEYOR PARTS, DANFOSS SPEED CONTROL, 415V MOTOR/GBOX, 90mm CONVEYOR SECTIONS, 1 x PALLET	
316		180 DEGREE SINGLE BOTTLE CONVEYOR SECTION 80mm PLASTIC BELT WITH 2 x DRIVES 415V, 2400 x 2000mm ES FITTED	
317		** WITHDRAWN ** STAINLESS STEEL ENCLOSURE & CONTENTS, 2 DOOR 1950 (L) x 1100 (D) x 550mm (H) BOTTLE LINE COMPONENTS, NYLON DRIVES, PARTS, ETC	
318		** WITHDRAWN ** KRONES SOLOMATIC LABEL GLUING STATION STAINLESS STEEL CHASSIS WITH MANUAL DUAL HEAD, 3100 x 2700 x 2700mm (H) WITH SPARES, 2 x PALLETS & 2 x CRATES	
319		STAND ALONE SWING ARM GANTRY, DEMAG 250kg CHAIN HOIST KVUN1U1 PENDANT CONTROL 3000mm ARM 3600mm COLUMN, GALV	
320		S BEND CONVEYOR SECTION 250mm PLASTIC BELT WITH DRIVE 415V 4800mm (L), STAINLESS STEEL CHASSIS	
321		7 x CONVEYOR SECTIONS, MULTI BELT 5 x STRAIGHT SECTIONS, 2000mm APPROX 1 x T SECTION, 2000mm APPROX 2 x DRIVES PLASTIC BELTING PLUS 3 x SINGLE BOTTLE CONVEYORS WITH DRIVE MOTOR, 415V	
322		2 x CONVEYOR BELT SECTIONS, STAINLESS STEEL 200mm BELT 1 @ 3500 mm. WITH DRIVE 300mm BELT 1 @ 3.500 mm. WITH DRIVE & OFF SHUT WITH 2 x DRIVES	

LOT	QTY	DESCRIPTION	NOTE
323		** WITHDRAWN ** KRONES CHECK MAT CONTROL PANEL TYPE: 731EM DOM: 2006 POWER PANEL 15 TOUCH SCREEN, STAINLESS STEEL	
324		RAISED WORK PLATFORM, GALV GRID MESH 1300 x 930 x 600mm (H) PLUS GALV MESH WALK AREA, 3000 x 2500 x 300mm (H)	
325		2 x CONVEYOR SECTIONS, STAINLESS STEEL 1 @ KRONES 700-350mm REDUCTION SECTION, 3000mm (L) 1 @ 800-370mm, 1800mm910 WITH DRIVE, 415V & DANFOS SPEED CONTROL	
326		6 x ASSORTED CONVEYOR SECTIONS, STAINLESS STEEL VARIOUS WIDTHS, 90-400mm 1500-5000mm (L), BIN & PALLET BELTING PLASTIC (BIN NOT INCLUDED)	
327		10 x CONVEYOR SECTIONS, STAINLESS STEEL FRAME PLASTIC BELTING, 220-500mm 5 DRIVES, 415V SECTIONS UP TO 3m	
328		FIBREKING CONTINUOUS MOTION WRAP AROUND PACKER TYPE: WAP-50 STAINLESS STEEL CHASSIS WITH ENCLOSURE INCLUDES SPARES	
329		WAVE CYBER FILTER, 10 BAR INCLUDES PENT AIR DIGITAL CONTROL MOD: 278/762 PLUS WATER SOFTENER (BUYER TO DISCONNECT & REMOVE, DISCONNECT AT FIRST JOINT)	
330		COOLING TOWER, BAC FIBREGLASS & STAINLESS STEEL CONSTRUCTION INCLUDES 4 x FILTERS & 2 x PUMPS, 415V PUMP ASSET MECHANICAL JT (GRUNFOS) 60-35 & GRUNDFOS MP100-80-150 (TO BE DISCONNECTED AT FIRST VALVE/JOINT) (BUYER TO DISCONNECT & REMOVE)	
331		STORAGE CABINET, CORROSIVE SUBSTANCES, GREY STEEL, 2 DOOR MAX CAP: 160kg/LITRES 1200 x 900mm	
332		STORAGE CABINET, FLAMMABLE LIQUID, YELLOW STEEL, 2 DOOR MAX CAP: 160 LITRE 1200 x 900mm	
333		KRISTNER HEAT SHRINK TUNNEL WITH CONTROL PANEL WITH A/C 6400 x 2000 x 2450mm (H) PLC CONTROL, DUAL ZONE TUNNEL SIZE: 550 x 460mm MOD: STII-600	