

| LOT | QTY | DESCRIPTION                                                                                                                                                                                     | NOTE |
|-----|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 1   |     | 9,500L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2015,<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET, TEMP PROBE                        |      |
| 2   |     | 9,500L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2015,<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET, TEMP PROBE                        |      |
| 3   |     | 9,500L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2015,<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET, TEMP PROBE                        |      |
| 4   |     | 9,500L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2015,<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET, TEMP PROBE                        |      |
| 5   |     | 9,500L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2015,<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET, TEMP PROBE                        |      |
| 6   |     | ** WITHDRAWN **<br>9,500L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2015,<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET, TEMP PROBE     |      |
| 7   |     | ** WITHDRAWN **<br>9,500L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2015,<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET, TEMP PROBE     |      |
| 8   |     | ** WITHDRAWN **<br>9,500L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2018,<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET, TEMP PROBE     |      |
| 9   |     | ** WITHDRAWN **<br>9,500L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2018,<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET, TEMP PROBE     |      |
| 10  |     | 9,500L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2015,<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET                                    |      |
| 11  |     | 9,500L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2015,<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>(NOTE: DENT ON TOP)<br>COOLING JACKET, TEMP PROBE |      |

| LOT | QTY | DESCRIPTION                                                                                                                                                               | NOTE |
|-----|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 12  |     | 10,000L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL,<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET, TEMP PROBE            |      |
| 13  |     | 19,000L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2018<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET, TEMP PROBE  |      |
| 14  |     | 19,000L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2018<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET, TEMP PROBE  |      |
| 15  |     | 19,000L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2018<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET, TEMP PROBE  |      |
| 16  |     | 19,000L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2018<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET, TEMP PROBE  |      |
| 17  |     | 19,000L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2018<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET, TEMP PROBE  |      |
| 18  |     | 14,500L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2016,<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET, TEMP PROBE |      |
| 18a |     | 14,500L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2016,<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET, TEMP PROBE |      |
| 19  |     | 24,500L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2021,<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET, TEMP PROBE |      |
| 20  |     | 24,500L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2017,<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET, TEMP PROBE |      |
| 21  |     | 24,500L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2017,<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET, TEMP PROBE |      |
| 22  |     | 24,500L STAINLESS STEEL UPRIGHT TANK,<br>A&G ENGINEERING, 304 GRADE STAINLESS STEEL, DOM: 2016,<br>FORK POCKETS, TOP & FRONT ACCESS HATCHES<br>COOLING JACKET, TEMP PROBE |      |

| LOT | QTY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | NOTE |
|-----|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 23  |     | INSULATED 25,000L STAINLESS STEEL UPRIGHT TANK, 5.3m (H) x 3m (D), TOP & SIDE ACCESS HATCHES, GALV ACCESS STAIRS & WALK WAY INCLUDED, COMPLETELY BOLTED, NO WELDS<br>PLINTH & COOLING JACKET                                                                                                                                                                                                                                                                                                                                                                                             |      |
| 24  |     | TOYOTA 2.5 TONNE FORKLIFT<br>MODEL: 42-7FGK25, FRAME: 7FGK30-10449<br>DOM: 1999<br>HOURS: 1,498<br>3 STAGE CONTAINER MAST<br>SIDE SHIFT<br>LPG<br>SOLID TYRES<br>WORKING LIGHTS & MIRRORS, REVERSE BUZZER & SAFETY LIGHTS                                                                                                                                                                                                                                                                                                                                                                |      |
| 25  |     | PEERLESS 240V 15amp AIRCOMPRESSOR<br>MOD: WMS-2.2A, SCROLL TYPE, DOM: 2022, 2.2kw, 0.32M3 PER MIN, DIGITAL DISPLAY, NEXT SERVICE DUE AT 500hrs                                                                                                                                                                                                                                                                                                                                                                                                                                           |      |
| 26  |     | UNIT 1 HOPPER & INCLINE CONVEYOR<br>BUCHER VASLIN, MOD: ELVTR 400-EA-3.0M-VAR-DR<br>SERIAL: 41919574, DOM: 2019,<br>HYDRAULIC RISE & FALL, LOCKING CASTORS,<br>SCHNEIDER SPEED CONTROLLER, DRO,<br>INFEED HOPPER 1300 x 860mm + CONVEYOR,<br>3 PHASE 415V<br><br>UNIT 2 VIBRATING SORTING TABLE<br>BUCHER VASLIN, TYPE: TRV20AN, SERIAL: 41916475<br>DOM: 2019, SCHNIDER SPEED CONTROLLER, DRO, LOCKING CASTORS<br>3 PHASE 415V<br><br>UNIT 3, DE-STEMMER<br>BUCHER VASLIN, TYPE: EGRAPP0IR-OSCILLYS-50<br>SERIAL: 37424, DOM: 2019<br>PENDANT CONTROL, LOCKING CASTORS<br>3 PHAASE 415V |      |
| 27  |     | ENVIROMIST COVERED SPRAY BOOM, 2100mm (W), PIN HITCH<br>(NOTE COVER ONLY)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |      |
| 28  |     | AGRO PLOW, MOD: 5AP1R, 3 RIPPERS, SERIAL: 010604, 3PTL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |      |
| 29  |     | ASHMOORE ENGINEERING COUNTER WEIGHT, 3PTL, 600 x 420 x 700mm (H)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |      |
| 30  |     | 14 DISC PLOW, 3PTL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |      |
| 31  |     | 2 x RIPPERS, ADJUSTABLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |      |
| 32  |     | 2 x PTO SHAFTS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |      |
| 33  |     | CARRY ALL, 1600 x 800mm, 3PTL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |      |
| 34  |     | MUNRO ENGINEERING, POST KNOCKER, SIDE SHIFT, 3PTL, 2 AUGERS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |      |
| 35  |     | PAIR 3PTL FORK TYNES, 1150mm TYNES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |      |

| LOT | QTY | DESCRIPTION                                                                                                                                                                                        | NOTE |
|-----|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 36  |     | 16 DISC PLOW, 'GRIZZLY', 3PTL, MOD: VINIDISC L16                                                                                                                                                   |      |
| 37  |     | SILVAN TURBOMISER FUNGICIDE UNIT 1500L CAP,<br>PTO DRIVE<br>PIN HITCH                                                                                                                              |      |
| 38  |     | INTERLINK UNDERVINE SPRAY UNIT<br>APPROX 500L CAP,<br>3PTL, PTO DRIVE                                                                                                                              |      |
| 39  |     | SILVAN TURBOMISER TYPE: 950,<br>MOD:81351,<br>2000L CAP,<br>WITH EAGLE E15h SPRAYER CONSOLE.<br>PTO DRIVE,<br>PIN HITCH<br>MAX PRESSURE 4.5 BAR. WITH<br>TRACTOR MOUNTED FLOW METER AND CONTROLLER |      |
| 40  |     | FORKLIFT TYNES, 3PTL, 700mm (L)                                                                                                                                                                    |      |
| 41  |     | AGRO PLOW 7 ROW VINEYARD SEEDER<br>MODEL 9RVS.<br>S/no. 07 11 09 .<br>BUILT NSW AUST , BY SOIL CARE SYSTEMS PTY LTD.                                                                               |      |
| 42  |     | VACANT                                                                                                                                                                                             |      |
| 43  |     | MIOSTECH SPECTROPHOTOMETER, MOD: V120, SERIAL: VEHPA0401                                                                                                                                           |      |
| 44  |     | HATCH PORTABLE TURBIDIMETER, MOD: 2100Q, IN CASE WITH ACCESSORIES                                                                                                                                  |      |
| 45  |     | ADAM PLATFORM SCALE, MOD: LBK12, MAX 12kg, D: 2g                                                                                                                                                   |      |
| 46  |     | MILWAUKEE SULPHUR DIOXIDE TITRATOR, MOD: MI455                                                                                                                                                     |      |
| 47  |     | ADAM MICRO SCALE, MOD: CQT202, MAX: 200g, D: 0.02g                                                                                                                                                 |      |
| 48  |     | BIOBASE DESKTOP CENTRIFUGE, MOD: BKC-TL4III, DOM: 2018, SERIAL:<br>18010296                                                                                                                        |      |
| 49  |     | HANNA INSTRUMENTS TITIRATOR, MOD: HI84502                                                                                                                                                          |      |
| 49a |     | GLASS CHEM 4 STILL SULPHUR DIOXIDE ASPIRATION UNIT                                                                                                                                                 |      |
| 50  |     | SKOPE 2 DOOR DISPLAY FRIDGE, MOD: TME1000-H, 1000L CAP, DOM 2009,<br>ILLUMINATED                                                                                                                   |      |
| 51  |     | PAIR TIMBER TOP STEEL FRAME KITCHEN TABLES, 1200 x 750mm, WITH 6 x<br>MATCHING CHAIRS, 2 x WHITE TUB CHAIRS                                                                                        |      |
| 52  |     | BIRD SCARER, LPG                                                                                                                                                                                   |      |

| LOT | QTY | DESCRIPTION                                                                                                                                             | NOTE |
|-----|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 53  |     | TRANSFER PUMP, STAINLESS STEEL, 3hp, 240V ON TROLLEY                                                                                                    |      |
| 54  |     | INOXPA EFH-2222 CENTRIFUGAL TRANSFER PUMP,<br>STAINLESS STEEL,<br>20,000L PH                                                                            |      |
| 55  |     | ZAMBELLI PLATE & FRAME FILTER,<br>TYPE: FILTRO 40 x 40<br>MOD:CT440F<br>DOM 2010<br>40 PLATES,<br>CHANGE OVER PLATE                                     |      |
| 56  |     | JETWAVE HOTWASH, MOD: OMEGAC100, 1845PSI, DOM: 2006, DIESEL, 240V                                                                                       |      |
| 57  |     | MONO, CP1600, 415V, BARREL PUMP, ON TROLLEY, REMOTE CONTROL                                                                                             |      |
| 58  |     | MONO CP800, 240V                                                                                                                                        |      |
| 59  |     | INSULATED BRINE TANK 5000L, WITH FITTINGS                                                                                                               |      |
| 60  |     | INSULATED BRINE TANK 5000L, WITH FITTINGS                                                                                                               |      |
| 61  |     | STAINLESS STEEL FILTER CASE, MOBILE, 900 x 300mm, RATED 125PSI                                                                                          |      |
| 62  |     | PORTABLE BARREL CLEANER, 240V                                                                                                                           |      |
| 63  |     | GRUNDFOS PUMP, HYDRO-SOLO E CRIE 15-3, 3 PHASE,<br>STAINLESS STEEL BASE,<br>80L PRESSURE TANK,<br>TRANSDUCER, VSD, ISOLATOR SWITCH,<br>NON-RETURN VALVE |      |
| 64  |     | GRUNDFOS PUMP, HYDRO-SOLO E CRIE 15-3, 3 PHASE,<br>STAINLESS STEEL BASE,<br>80L PRESSURE TANK,<br>TRANSDUCER, VSD, ISOLATOR SWITCH,<br>NON-RETURN VALVE |      |
| 65  |     | TEAM POLY 2300L OPEN TOP TANK                                                                                                                           |      |
| 66  |     | TEAM POLY 2300L OPEN TOP TANK                                                                                                                           |      |
| 67  |     | TEAM POLY 2300L OPEN TOP TANK                                                                                                                           |      |
| 68  |     | TEAM POLY 2300L OPEN TOP TANK                                                                                                                           |      |
| 69  |     | 3 x POLY 1500L OPEN TOP TANKS                                                                                                                           |      |
| 70  |     | 4 x POLY 1000L OPEN TOP TANKS                                                                                                                           |      |

| LOT | QTY | DESCRIPTION                                                                                                                      | NOTE |
|-----|-----|----------------------------------------------------------------------------------------------------------------------------------|------|
| 71  |     | CAPS AIR COMPRESSOR, MOD: BE800B, 2.5hp, 240V<br>120L TANK CAP                                                                   |      |
| 72  |     | CAPS AIR RECEIVER DRYER, MOD: CDRS25, 240V                                                                                       |      |
| 73  |     | MUST PUMP, MONO, 4 INCH, STAINLESS HOPPER (1200mm x 800mm), VSD,<br>ON CASTORS                                                   |      |
| 74  |     | PALLET LOT: ASSORTED DOWN PIPE, CONDUIT, ETC<br>(USED AS BRINE LINES)                                                            |      |
| 75  |     | MILLER ENGINEERING ROTATING DESTEMMER / CRUSHER, RATED 20 TONNE<br>PER HOUR, 1300 x 600mm SCREEN                                 |      |
| 76  |     | CONTRA SHEAR DRUM SCREEN, MOD: 4.5/9, 0.75mm MESH, SERIAL: 81332,<br>415V WITH FLOAT SWITCH                                      |      |
| 77  |     | CIRCULATION PUMP, GRUNDFOS<br>415V<br>(USED WITH LOT 79)                                                                         |      |
| 78  |     | REFRIGERATION UNIT, CARRIER AQUA SNAP<br>MOD:30RBS-060D0008-PE-VARIANT: VAR11<br>NOMINAL CAPACITY 60KW,<br>DOM 2021<br>415V      |      |
| 79  |     | REFRIGERATION UNIT, CARRIER AQUA SNAP<br>MOD: 30RBS-030B0167-PE,<br>NOMINAL CAPACITY 39KW,<br>VARIANT: NGAC,<br>DOM 2016<br>415V |      |
| 80  |     | STAINLESS STEEL OPEN TOP FERMENTATION TANK, 2 WAY FORK POCKETS, 5<br>TONNE CAP, 2000 x 2000 x 1400mm (H)                         |      |
| 81  |     | STAINLESS STEEL OPEN TOP FERMENTATION TANK, 2 WAY FORK POCKETS, 5<br>TONNE CAP, 2000 x 2000 x 1400mm (H)                         |      |
| 82  |     | STAINLESS STEEL OPEN TOP FERMENTATION TANK, 2 WAY FORK POCKETS, 5<br>TONNE CAP, 2000 x 2000 x 1400mm (H)                         |      |
| 83  |     | STAINLESS STEEL OPEN TOP FERMENTATION TANK, 2 WAY FORK POCKETS, 5<br>TONNE CAP, 2000 x 2000 x 1400mm (H)                         |      |
| 84  |     | ** WITHDRAWN **<br>1900L UPRIGHT POLY TANK, GALV STACKABLE FRAME, TOP MOUNT HATCH                                                |      |
| 85  |     | ** WITHDRAWN **<br>1900L UPRIGHT POLY TANK, GALV STACKABLE FRAME, TOP MOUNT HATCH                                                |      |
| 86  |     | 1000L IBC WITH CONTENTS: GLYCOL                                                                                                  |      |

| LOT | QTY | DESCRIPTION                                              | NOTE |
|-----|-----|----------------------------------------------------------|------|
| 87  |     | 1000L IBC WITH CONTENTS: GLYCOL                          |      |
| 88  |     | 1000L IBC WITH CONTENTS: GLYCOL                          |      |
| 89  |     | 1000L IBC WITH CONTENTS: GLYCOL                          |      |
| 90  |     | ** WITHDRAWN **<br>FLEXCUBE 1000L STACKABLE TANK         |      |
| 91  |     | ** WITHDRAWN **<br>FLEXCUBE 1000L STACKABLE TANK         |      |
| 92  |     | FLEXCUBE 1000L STACKABLE TANK                            |      |
| 93  |     | FLEXCUBE 1000L STACKABLE TANK                            |      |
| 94  |     | FLEXCUBE 1000L STACKABLE TANK                            |      |
| 95  |     | FLEXCUBE 1000L STACKABLE TANK                            |      |
| 96  |     | FLEXCUBE 1000L STACKABLE TANK                            |      |
| 97  |     | FLEXCUBE 1000L STACKABLE TANK                            |      |
| 98  |     | FLEXCUBE 1000L STACKABLE TANK                            |      |
| 99  |     | FLEXCUBE 1000L STACKABLE TANK                            |      |
| 100 |     | 2 x ASSORTED INSULATED PVC PIPE, PLUS ASSORTED STEEL SHS |      |
| 101 |     | 6 x TIMBER PRODUCE CRATES, 1160 x 1160 x 900mm (H)       |      |
| 102 |     | 5 x TIMBER PRODUCE CRATES, 1160 x 1160 x 900mm (H)       |      |
| 103 |     | 5 x TIMBER PRODUCE CRATES, 1160 x 1160 x 900mm (H)       |      |
| 104 |     | 5 x TIMBER PRODUCE CRATES, 1160 x 1160 x 900mm (H)       |      |
| 105 |     | 5 x TIMBER PRODUCE CRATES, 1160 x 1160 x 900mm (H)       |      |
| 106 |     | 5 x TIMBER PRODUCE CRATES, 1160 x 1160 x 900mm (H)       |      |