

| LOT | QTY | DESCRIPTION | NOTE |
|-----|-----|---|------|
| 1 | | BAG SEWING MACHINE; SIRUBA, MODEL AA - 6, HANDHELD, 240V, NEW | |
| 2 | | SET OF 30kg PRICING SCALES, STAPLE GUN, SAFETY EQUIPMENT, ETC | |
| 3 | | CHAIN BLOCK, SCA 500kg IN CARRY CASE | |
| 4 | | GUARDMASTER SAFETY SWITCHES, 1x BOX | |
| 5 | | VACUUM CLEANER, MICROWAVE, PRINTER AND DRILL | |
| 6 | | REFRIGERATOR, SIMPSON FRIDGE/FREEZER | |
| 7 | | PRODUCE BAGS, QTY OF RED MESH | |
| 8 | | 1 x FRENCH OAK BAREEK, SA COOPERAGE, NEW | |
| 9 | | 1 x FRENCH OAK BAREEK, SA COOPERAGE, NEW | |
| 10 | | 3 x TARPAULINS | |
| 11 | | 2 x PLASTIC BAG ROLLS, SHRINK WRAP AND DISPENSER | |
| 12 | | SLIDING DOOR RAILS, QTY OF ASSORTED | |
| 13 | | GARDENING TOOLS, HOE, RACK, SHOVEL, CROW BAR, ETC | |
| 14 | | BUCKETS, QTY OF ASSORTED | |
| 15 | | BULKA BAGS, QTY OF ASSORTED | |
| 16 | | EXTENSION LEAD AND SWITCH, 20AMP, 415V | |
| 17 | | LADDER SECTION, GALVANISED STEEL ACCESS LADDER, 15 FOOT | |
| 18 | | LADDER, ALUMINIUM 6 FOOT, GEELONG | |
| 19 | | FRENCH OAK SHAVINGS, MEDIUM TOAST, 10 x BAGS, 2 x BAGS OF AMERICAN OAK, (OPENED) 4 x BAGS UNKNOWN | |
| 20 | | CRATE OF OAK CHIPS (RAW) | |
| 21 | | CRATE OF OAK CHIPS (RAW) | |
| 22 | | CRATE OF OAK CHIPS (RAW) | |
| 23 | | CRATE OF OAK CHIPS (RAW) | |

| LOT | QTY | DESCRIPTION | NOTE |
|-----|-----|---|------|
| 24 | | CRATE OF OAK CHIPS (RAW) | |
| 25 | | CRATE OF OAK CHIPS (RAW) | |
| 26 | | PALLET RACKING, 3 x BAYS SCHAEFER, COMPRISING 4 UPRIGHTS, 18 BEAMS | |
| 27 | | PALLET RACKING, SINGLE BAY, SCHAEFER, COMPRISING 2 UPRIGHTS, 6 BEAMS | |
| 28 | | OAK OFF CUTS, FOR CHIPPING, 3 x CRATES | |
| 29 | | OAK CHIPS (RAW), 2 x FRENCH OAK, 1 x AMERICAN OAK | |
| 30 | | BAGGING HOPPER, INSKIP, STAINLESS STEEL, ELEVATED, BELT OUTFEED AND CHUTE, MANUAL CONTROL, 415V | |
| 31 | | GRANULATOR; MORITA SEIKI KOGUO TYPE: JC-10LD DOM: 1985 15HP, 415V | |
| 32 | | PLATFORM SCALE WEDDERBURN DIGI DI-160, DIGITAL READOUT 600kg CAPACITY, 110cm x 110cm | |
| 33 | | DUST EXTRACTOR; LEDA MODEL SOC-4045A, DOM 1997, SINGLE BAG, 417V | |
| 34 | | COMBINATION WOODWORKING MACHINE, PANEL SAW/MOULDER, L'INVINCIBILE, ST2C, 415V, GUARDING AND FENCING, 415V | |
| 35 | | 56 x BULK BINS OF FRENCH OAK TOASTED CHIPS, 280kg AVERAGE, (SOLD PER BIN) | |
| 36 | | AMERICAN WHITE OAK, ASSORTED PROFILE, APPROX 4.8mtr LENGHTS 1 x PALLET | |
| 37 | | AMERICAN WHITE OAK, ASSORTED PROFILE, APPROX 4.8mtr LENGHTS 1 x PALLET | |
| 38 | | AMERICAN WHITE OAK, ASSORTED PROFILE, APPROX 4.8mtr LENGHTS 1 x PALLET | |
| 39 | | AMERICAN WHITE OAK, ASSORTED PROFILE, APPROX 4.8mtr LENGHTS 1 x PALLET | |
| 40 | | AMERICAN WHITE OAK, ASSORTED PROFILE, APPROX 4.8mtr LENGHTS 1 x PALLET | |
| 41 | | COMPRESSOR, CLISBY, SINGLE AND CYLINDER, 2HP, 240V, WITH AIR LINE HOSE AND HANDPIECE | |

| LOT | QTY | DESCRIPTION | NOTE |
|-----|-----|--|------|
| 42 | | PALLET TROLLEY, CROWN, HYDRAULIC | |
| 43 | | PALLET TROLLEY, HYDRAULIC | |
| 44 | | CHIPPER; VELCOPLAN HACKER TYPE: 45/12/2 DOM: 1974 SERIAL NO: 99274 45cm THROAT, VARIABLE SPEED MOTOR DRIVE, NO GUARDS | |
| 45 | | CHIP ROASTING TUNNEL, NATURAL GAS FIRED, 3 HEAT ZONES, 225 DEGREE CELSIUS OPERATING TEMPERATURE, 120kg/HR THROUGHPUT CAPACITY, OVERHEAD FEED HOPPER WITH ACCESS PLATFORM, SAFETY SWITCHING | |
| 46 | | ELECTRIC MOTOR, 7.5 HP, 5.5kw, 415V | |
| 47 | | 2 x GEARED MOTORS, GEARS AND CHAIN | |
| 48 | | RETRACTABLE HOSE REEL AND HOSE, PNEUMATIC | |
| 49 | | CONTENTS OF STOREROOM COMPRISING, BAY LIGHT, VACUUM, BATTERIES, GAS BOTTLE, ETC | |
| 50 | | STRAPPING SYSTEM, TENSIONER, CRIMPER, STRAP AND CLIPS | |
| 51 | | GALVANISED STEEL PALLETS AND ASSORTED STEEL | |
| 52 | | TIMBER STOCK CRATES, PLYWOOD, QTY 10 | |
| 53 | | TIMBER STOCK CRATES, PLYWOOD, QTY 10 | |
| 54 | | TIMBER STOCK CRATES, QTY 11 | |
| 55 | | TIMBER STOCK CRATES, QTY 12 | |
| 56 | | TIMBER STOCK CRATES, QTY 12 | |
| 57 | | TIMBER STOCK CRATES, QTY 12 | |
| 58 | | TIMBER STOCK CRATES, QTY 15 | |
| 59 | | TIMBER STOCK CRATES, QTY 15 | |
| 60 | | TIMBER STOCK CRATES, QTY 17 | |
| 61 | | TIMBER STOCK CRATES, QTY 18 (DAMAGED) | |
| 62 | | TIMBER PALLETS, APPROX 80 (EXCLUDING CHEP) | |

| LOT | QTY | DESCRIPTION | NOTE |
|-----|-----|---|------|
| 63 | | FORK TRUCK; TOYOTA 15 MODEL: 426FG515 SERIAL NO: 11488 HOURS: 7446, INDICATED 1.5 TONNE CAPACTIY, SWL TO 4mtr LOW LINE MAST, LPG/PETROL PNEUMATIC TYRES WITH AUXILARY HYDRAULIC LEVER AND COUPLING | |
| 64 | | BIN TIPPER ATTACHMENT; BRUDI MODEL: BTALO - AO1 SERIAL NO: 103987 HYDRAULIC, FORK MOUNT | |
| 65 | | FUME EXTRACTION AND DE-OXIDISING SCRUBBER | |